## 2012/35

## Preferential trade agreements harm third countries

Pascal Mossay and Takatoshi Tabuchi



# DISCUSSION PAPER

Center for Operations Research and Econometrics

Voie du Roman Pays, 34 B-1348 Louvain-la-Neuve Belgium http://www.uclouvain.be/core

## CORE DISCUSSION PAPER 2012/35

#### Preferential trade agreements harm third countries

Pascal MOSSAY<sup>1</sup> and Takatoshi TABUCHI<sup>2</sup>

August 2012

#### Abstract

In this paper, we study market liberalization in an imperfectly competitive environment in the presence of price effects. For this purpose, we build a three-country model of international trade under monopolistic competition with endogenous prices and wages. The neighboring effect translates how the size effect propagates across countries. When some country increases in size, its relative wage increases, as well as that in a small and near country, while that in a large and distant country falls. We also show that a preferential trade agreement increases the relative wage, the welfare, and the terms-of-trade in the partner countries, where the integration effect dominates, while it lowers those in the third country.

Keywords: monopolistic competition, market size effect, preferential trade agreement.

JEL classification: F12, F15, R13

<sup>&</sup>lt;sup>1</sup> Department of Economics, University of Reading, UK; Université catholique de Louvain, CORE, B-1348

Louvain-la-Neuve, Belgium. E-mail: p.mossay@reading.ac.uk

<sup>&</sup>lt;sup>2</sup> Faculty of Economics, University of Tokyo. E-mail: ttabuchi@e.u-tokyo.ac.jp

We wish to thank Masahiro Okuno-Fujiwara and Pierre Picard as well as participants at the Public Economic Theory Conference at Academia Sinica, the Public Economics Seminar at Keio University, and the Economics Seminar at Swansea University for their useful comments.

## 1 Introduction

In imperfect competition models of international trade, the existence of a costlessly traded homogeneous good sector has often been assumed, especially when dealing with multi-country models. This leads to Factor Price Equalization (FPE) across countries, which significantly simplifies the analysis.<sup>1</sup> In that context, markets integrate via the relocation of firms and workers across countries, see Krugman (1980), Baldwin *et al.* (2003), Behrens *et al.* (2007), Venables (1987), or Ossa (2011). By focusing on the consequences of production shifting and of the relocation of industry, that line of research abstracts completely from any price effect present during the liberalization process. In particular, it assumes away terms-of-trade considerations and their impact on welfare. Moreover, in the real world, FPE does not hold, even between developed countries.<sup>2</sup>

In this paper, we address the consequences of market liberalization in a framework dealing with size, neighboring, price, and integration effects. For this purpose, following Venables (1987) and Ossa (2011), among others, we build on Krugman's (1980) new trade theory to construct a three-country model of international trade under monopolistic competition. In contrast to the existing literature, we relax the assumption of FPE by removing the costlessly traded good sector, so that prices and wages are endogenous, and price effects are included into the analysis. As our framework deals with an arbitrary trade cost structure between countries, our results go beyond the analysis of specific examples such as the symmetric or the hub-and-spoke configurations studied by Puga and Venables (1997). Moreover, unlike in Ossa (2011), no trade restriction is placed between countries. Hence, our model deals with general trade patterns and any spatial distribution of resources in terms of location and size.

The aim of this paper is twofold. First, we look at the role of country size on wages and welfare. Second, we analyze the impact of Preferential Trade Agreements (PTAs) on the partner countries and the left-out country.

The first set of results relate to size and neighboring effects. When some country increases in size, its relative wage increases, as well as that in a small and near country, while that in a large and distant country falls. This result extends the size effect emphasized by Krugman

<sup>&</sup>lt;sup>1</sup>FPE is a direct consequence of costless trade in the constant returns sector. Davis (1998) shows how costly trade in both the constant and the increasing returns sectors substantially alters the equilibrium outcome.

<sup>&</sup>lt;sup>2</sup>The counterfactual prediction of FPE could be avoided by allowing for different productivities across countries

(1980) in the case of two countries by introducing a neighboring effect, which translates how the size effect propagates across countries. The market potential increases more in a neighboring country than in a distant one. In terms of welfare, all countries gain from the increase in size of some country because world production and consumption end up increasing.

The second set of results relate to the consequences of PTAs. When some countries engage in a PTA, the integration effect induces relative prices including relative wages to increase in the integrating area. By raising the export price in the partner countries, the effect of a PTA is to improve the terms-of-trade in the integrating area, while lowering that in the excluded country. While a PTA is beneficial to the partner countries in utility terms, it is always detrimental to the third country because the latter one does not benefit from the integration effect and is exposed to the negative price effect: it has to import goods produced at higher prices in the integrating area.

A key property of Krugman's (1980) framework is that shocks affecting labor endowments and trade costs transmit either through terms-of-trade or production relocation effects. In the absence of production relocation effects, Krugman's model behaves pretty much like a Ricardian or an Armington model, though they differ in their microfoundations. This similarity is now well understood, see Arkolakis et al. (2012). The role of trade policy intervention in imperfectly competitive markets is analyzed in Bagwell and Staiger (2009): the rationale for a trade agreement is to overcome the inefficiency related to the terms-of-trade externality. Here the terms-of-trade gain provides a strong incentive for countries to engage in bilateral trade agreements. This result is in line with that obtained in standard neoclassical trade models, e.g. Maggi and Rodriguez-Clare (1998), and other new trade models in the presence of a freely traded homogeneous good, see the trade policy implications derived by Puga and Venables (1997), as well as the model by Ossa (2011) where the third country trades with one partner country only. However, in general, when trade is not restricted so that each country trades with any other one, a PTA may hurt some partner country in terms of welfare under FPE. This has been shown to happen when the hub effect is large enough, see Behrens et al. (2007). Here, in contrast to the models relying on FPE, for the partner countries, the integration effect always dominates the price effect irrespective of country size and of the spatial distribution of resources across countries, so that welfare always increases in the integrating area.

Under FPE, falling trade costs between countries concluding the PTA is accompanied by the relocation of firms to the PTA partners, while it does not lead to terms-of-trade movements. The relocation of firms from the third country to the PTA partners implies a worse access of the third country to the manufacturing varieties. In contrast, in this paper, we provide another rationale for the lower utility in the third country. Falling trade costs between PTA partners raises prices and wages in the integrating area relative to the price level in the third country. As a result, consumers in the left-out country suffer a terms-of-trade loss because they have to import varieties produced at higher prices in the partner countries, which lowers their welfare.

The remainder of the paper is organized as follows. The three-country model of international trade under imperfect competition is introduced in Section 2. Section 3 presents some preliminary results of the model. In Section 4, we analyze the role of country size and the impact of a PTA on wages and welfare. Section 5 concludes.

## 2 The model

The economy consists of three countries and a manufacturing sector producing a differentiated good. The mass of immobile workers in country i is denoted by  $L_i$ .

The utility of an individual in country i is given by Dixit-Stiglitz preferences

$$U_{i} = \left(\sum_{j=1}^{3} \int_{\omega \in \Omega_{j}} q_{ji}(\omega)^{\frac{\sigma-1}{\sigma}} \mathrm{d}\omega\right)^{\frac{\sigma}{\sigma-1}}$$
(1)

where  $q_{ji}(\omega)$  is the amount of variety  $\omega$  produced in country j and consumed in country i,  $\Omega_j$ is the set of varieties produced in country j, and  $\sigma > 1$  is the elasticity of substitution between any two varieties. The budget constraint of a worker in country i earning a wage  $w_i$  is given by

$$\sum_{j} \int_{\omega \in \Omega_j} p_{ji}(\omega) q_{ji}(\omega) \mathrm{d}\omega = w_i \tag{2}$$

where  $p_{ji}(\omega)$  is the delivery price of variety  $\omega$  produced in country j and consumed in country i.

In order to simplify the notation, we drop the variety label  $\omega$  from now on. The maximization of utility (1) subject to the budget constraint (2) yields the following worker's demand in country i for a variety produced in country j:

$$q_{ji} = \frac{p_{ji}^{-\sigma}}{P_i^{1-\sigma}} w_i \tag{3}$$

with the price index  $P_i$  in country *i* given by

$$P_i = \left(\sum_k n_k p_{ki}^{1-\sigma}\right)^{\frac{1}{1-\sigma}} \tag{4}$$

where  $n_k$  is the number of firms located in country k.

Assuming iceberg trade costs,  $\tau_{ij} > 1$  units of a variety have to be shipped from country *i* for one unit of that variety to reach country  $j \neq i$ . We also assume that these trade costs are symmetric  $\tau_{ij} = \tau_{ji}$  and  $\tau_{ii} = 1$ .

The production technology requires a fixed and a constant marginal labor requirements, labeled F and c respectively.<sup>3</sup> In order to satisfy the demand  $q_{ij}L_j$  in country j, each firm in country i has to produce  $\tau_{ij}q_{ij}L_j$  units. Thus, the profit of a firm in country i is given by

$$\pi_i = \left(\sum_j p_{ij} q_{ij} L_j\right) - w_i \left(F + c \sum_j \tau_{ij} q_{ij} L_j\right)$$
(5)

By plugging the worker's demand (3) into expression (5), profit maximization with respect to prices yields

$$p_{ij} = \frac{\sigma c \tau_{ij}}{\sigma - 1} w_i \tag{6}$$

By assuming free entry and exit of manufacturing firms, profit (5) is zero. Given that  $p_{ij} = p_{ii}\tau_{ij}$ , we have

$$(p_{ii} - cw_i)\sum_j \tau_{ij} q_{ij} L_j = w_i F \tag{7}$$

Because labor inputs are given by the second bracketed terms in expression (5), the labor market clearing condition is

$$n_i \left( F + c \sum_j \tau_{ij} q_{ij} L_j \right) = L_i \tag{8}$$

Using relations (6), (7), and (8), the equilibrium number of firms is proportional to the number of workers as follows:

$$n_i = \frac{L_i}{\sigma F} \tag{9}$$

By substituting relations (6) and (9) into the profit expression (5), we have

$$\sum_{j} \frac{\tau_{ij}^{1-\sigma} L_j w_j}{\sum_k \tau_{kj}^{1-\sigma} L_k w_k^{1-\sigma}} = w_i^{\sigma}, \quad \text{for } i = 1, 2, 3$$
(10)

Wages  $w_i$  are determined by these three equilibrium conditions. By Walras law, one of these conditions is redundant, so that labor in some country can serve as numéraire.

 $<sup>^{3}</sup>$ Because immobile labor is the only production factor, the equilibrium number of firms in each country turns out to be constant. As a result, there is no production relocation effect à la Krugman (1980).

The equilibrium utility in country i is given by

$$U_{i}^{*} = \frac{w_{i}}{P_{i}} = \frac{w_{i}}{\frac{\sigma c}{\sigma - 1} \left(\frac{1}{\sigma F} \sum_{k} \tau_{ki}^{1 - \sigma} L_{k} w_{k}^{1 - \sigma}\right)^{\frac{1}{1 - \sigma}}}$$
(11)

where wages are evaluated at equilibrium (10).

## **3** Preliminary results

First of all, as stated in previous Section already, we assume that shipping a manufacturing variety from one country to another is costly, so that we exclude the case of costless trade  $\tau_{ij} = 1, i \neq j$ .

Assumption 1 For any distinct  $i, j, k \in \{1, 2, 3\}, \tau_{ij} > 1$ .

Assumption 1 implies costly international trade and excludes perfect integration between countries. This assumption is in no way restrictive given that otherwise, the number of countries would reduce to two or less.

We now show that our model is general enough to encompass both the direct- and the indirect-shipping of goods. While  $\tau_{ij}$  represents the direct-trade cost between countries *i* and *j*, the product  $\tau_{ik}\tau_{jk}$  corresponds to the trade cost between these countries when the good is shipped via country *k*. The former trade cost is more costly than the latter one if, for instance, a very high tariff is imposed between countries *i* and *j*. In this case, direct trade is more costly than trade via a third country. However, we show in the following Lemma that when this arises, it can only be so for one pair of countries.

**Lemma 1** For any distinct  $i, j, k \in \{1, 2, 3\}$ , at most one of the following three triangle inequalities  $\tau_{ij} < \tau_{ik}\tau_{jk}$  is violated.

**Proof.** Suppose, on the contrary, that two of the three triangle inequalities are violated, so that  $\tau_{ik} \geq \tau_{ij}\tau_{jk}$  and  $\tau_{ij} \geq \tau_{ik}\tau_{jk}$ . Then, using them leads to

$$\tau_{ik} \ge \tau_{ij}\tau_{jk} \ge \tau_{ik}\tau_{jk}^2$$

This implies

$$1 \ge \tau_{ik}^2$$

which contradicts the assumption  $\tau_{jk} > 1$ .

Lemma 1 implies that direct trade cannot be more costly than indirect trade for two pairs of countries. The reason for this is as follows. The presence of two very costly direct-shipping routes makes indirect-shipping simply not possible in our three-country model, as it would involve using two non-costly shipping routes.

From Lemma 1, two cases may arise:

(i) 
$$\tau_{ik} < \tau_{ij}\tau_{jk}, \ \tau_{ij} < \tau_{ik}\tau_{jk}, \ \text{and} \ \tau_{jk} < \tau_{ij}\tau_{ik}$$
  
(ii)  $\tau_{ik} \geq \tau_{ij}\tau_{jk}, \ \tau_{ij} < \tau_{ik}\tau_{jk}, \ \text{and} \ \tau_{jk} < \tau_{ij}\tau_{ik}$ 

In case (i), direct trade is less costly than trade via a third country for any pair of countries, so that it involves direct-shipping only, and the triangle inequality always holds. An example of this situation is when trade costs correspond to distance-related transport costs.

In case (ii), direct trade is more costly than trade via a third country for one pair of countries (i, k) and the triangle inequality is violated for that pair of countries. In this latter case, we will assume that firms transport goods from country *i* to country *k* via country *j* rather than directly so that the effective trade cost  $\tau_{ik}$  is given by  $\tau_{ij}\tau_{jk}$ . For example, if tariffs between countries *i* and *k* are very high, then firms will avoid direct trade by shipping goods via the third country *j* in order to reduce trade costs. Note that case (ii) is more likely to occur in international trade than in interregional trade because within a country trade costs increase in the geographical distance. To make our model as general as possible and so as to encompass the possibility of indirect-shipping, we define the effective trade cost  $\tau_{ik} = \min\{\tau_{ik}, \tau_{ij}\tau_{jk}\}$ . This definition can be rewritten in terms of the freeness of trade  $\phi_{ij} \equiv \tau_{ij}^{1-\sigma} \in (0, 1]$  between countries *i* and *j* in the following way. For any distinct  $i, j, k \in \{1, 2, 3\}$ , the effective freeness of trade is given by  $\phi_{ik} = \max\{\phi_{ik}, \phi_{ij}\phi_{jk}\}$ .

From Assumption 1, without loss of generality, we can set

$$\phi_{23} = \max\{\phi_{23}, \phi_{12}\phi_{13}\}, \ \phi_{12} = \phi_{12} > \phi_{13}\phi_{23}, \ \text{and} \ \phi_{13} = \phi_{13} > \phi_{12}\phi_{23}$$
(12)

From now on, in order to simplify notation, we drop the ' notation.

So as to look at how wages are determined in equilibrium, we rewrite the wage equations (10) in the following way:

$$e_{1} \equiv L_{2}w_{1}^{\sigma-1}f_{1} - L_{1}w_{2}^{\sigma-1}f_{2} = 0$$


$$e_{2} \equiv L_{3}w_{1}^{\sigma-1}f_{1} - L_{1}w_{3}^{\sigma-1}f_{3} = 0$$
(13)

where

$$f_i \equiv (1 - \phi_{jk}^2) w_i^{\sigma} + (\phi_{ik} \phi_{jk} - \phi_{ij}) w_j^{\sigma} + (\phi_{ij} \phi_{jk} - \phi_{ik}) w_k^{\sigma}, \text{ for distinct } i, j, k \in \{1, 2, 3\}$$

As indicated in previous Section already,  $w_1$  can be normalized to one by Walras law. We now show that admissible wages belong to the triangle ( $\Delta$ ) defined by the sides  $f_i(1, w_2^{\sigma}, \omega_3^{\sigma}) = 0$ for i = 1, 2, 3 in the plane ( $\omega_2, \omega_3$ ) = ( $w_2^{\sigma}, w_3^{\sigma}$ ). The three corners of ( $\Delta$ ) correspond to the cases  $L_i = 1, i = 1, 2, 3$ . This is because side ( $f_i = 0$ ) corresponds to  $L_i = 0$  meaning that the corner ( $f_j = 0$ )  $\cap$  ( $f_k = 0$ ) corresponds to  $L_i = 1$  for distinct i, j, k. For instance, when  $L_1 = 1$ ,  $w_2 = \phi_{12}^{1/\sigma}$  and  $w_3 = \phi_{13}^{1/\sigma}$ , which corresponds to the corner opposite to side  $f_1 = 0$ . Similarly, when  $L_2 = 1, w_2 = \phi_{12}^{-1/\sigma}$  and  $w_3 = (\phi_{23}/\phi_{12})^{1/\sigma}$ , which corresponds to the corner opposite to side  $f_2 = 0$ . In what follows, we focus on the case  $L_i > 0, \forall i$ . Otherwise the number of countries would reduce to two or less. When  $L_i > 0, \forall i$ , it must be that  $f_i > 0, \forall i$ , meaning that admissible wages ( $w_2^{\sigma}, w_3^{\sigma}$ ) belong to the interior of triangle ( $\Delta$ ).

Because of relation (12), the slope of line  $(f_1 = 0)$  is negative, that of line  $(f_2 = 0)$  is positive, and that of line  $(f_3 = 0)$  is nonnegative.



Based on the foregoing, we start showing a set of Lemmas.

**Lemma 2**  $\Phi \equiv 1 - \phi_{12}^2 - \phi_{13}^2 - \phi_{23}^2 + 2\phi_{12}\phi_{13}\phi_{23} > 0.$ 

**Proof.** Function  $\Phi$  can be rewritten as

$$\begin{aligned} (\phi_{12} - \phi_{13}\phi_{23})(1 - \phi_{12}) + (\phi_{13} - \phi_{12}\phi_{23})(1 - \phi_{13}) + (\phi_{23} - \phi_{12}\phi_{13})(1 - \phi_{23}) \\ + (1 - \phi_{12})(1 - \phi_{13})(1 - \phi_{23}) \end{aligned}$$

By using the trade cost relation (12),  $\Phi > 0$ .

Because of the above Lemma, the slope of  $(f_2 = 0)$  is steeper than that of  $(f_3 = 0)$ . This is because  $(\phi_{13}^2 - 1)/(\phi_{12}\phi_{13} - \phi_{23}) > (\phi_{12}\phi_{13} - \phi_{23})/(\phi_{12}^2 - 1) \iff \Phi > 0$  if  $\phi_{23} > \phi_{12}\phi_{13}$ . Otherwise,  $(f_2 = 0)$  is vertical and  $(f_3 = 0)$  is horizontal. Triangle ( $\Delta$ ) can then be represented as illustrated in Figures 1a and 1b, respectively. Both scenarios are consistent with the trade cost relation (12).

The following Lemmas involve the study of curves  $\Gamma_1$  and  $\Gamma_2$  in the plane  $(\omega_2, \omega_3) = (w_2^{\sigma}, w_3^{\sigma})$ defined respectively by relations (13),  $e_1 = 0$  and  $e_2 = 0$ .

**Lemma 3** Inside triangle  $(\Delta)$ ,

(i) along curve  $\Gamma_1$ ,  $(dw_3/dw_2)_{e_1=0} \geq 0$  if  $w_2^{\sigma} \leq \phi_{23}/\phi_{13}$ , and

(ii) along curve  $\Gamma_2$ ,  $(\mathrm{d}w_3/\mathrm{d}w_2)_{e_2=0} \ge 0$  if  $w_3^{\sigma} \le \phi_{23}/\phi_{12}$ .

The proof is contained in Appendix 1.

Using Lemma 3, we are ready to prove the existence and uniqueness of equilibrium as follows.

**Lemma 4** There exists a unique wage equilibrium  $(w_2^*, w_3^*)$ .


**Proof.** (i) Consider the curve  $\Gamma_1$  defined by  $e_1 = 0$ . The point  $(\phi_{23}/\phi_{13}, \phi_{13}^{-1})$  belongs to  $\Gamma_1$ . From Lemma 3, the slope of  $\Gamma_1$  is  $dw_3/dw_2 \ge 0$  if  $w_2^{\sigma} \le \phi_{23}/\phi_{13}$  meaning that along  $\Gamma_1, w_3^{\sigma}$  is a monotone function of  $w_2^{\sigma}$  which increases until reaching  $(\phi_{23}/\phi_{13}, \phi_{13}^{-1})$  when  $w_2^{\sigma} < \phi_{23}/\phi_{13}$  (resp. decreases from  $(\phi_{23}/\phi_{13}, \phi_{13}^{-1})$  when  $w_2^{\sigma} > \phi_{23}/\phi_{13}$ ).

By evaluating  $e_1$  as given by (13) along the sides  $(f_1 = 0)$  and  $(f_2 = 0)$  of triangle  $(\Delta)$ , we get that  $e_1$  is respectively negative and positive. This implies that the curve  $\Gamma_1$  separates the sides  $(f_1 = 0)$  and  $(f_2 = 0)$  of triangle  $(\Delta)$  except in  $(\phi_{23}/\phi_{13}, \phi_{13}^{-1})$ , and therefore intersects side  $(f_3 = 0)$ .

(*ii*) Consider now the curve  $\Gamma_2$  defined by  $e_2 = 0$ . A symmetric argument to that developed in (*i*) can be applied so as to show that  $\Gamma_2$  is a monotone curve going through  $(\phi_{12}^{-1}, \phi_{23}\phi_{12}^{-1})$  in the plane  $(w_2^{\sigma}, w_3^{\sigma})$  which intersects the side  $(f_2 = 0)$  of triangle ( $\Delta$ ).

(*iii*) Because the curves  $\Gamma_1$  and  $\Gamma_2$  obtained in (*i*) and (*ii*) are monotone and join a side of triangle ( $\Delta$ ) to its opposite corner, they intersect once in a point interior to ( $\Delta$ ). This proves the existence and uniqueness of equilibrium.

See Figure 2 for an illustration of triangle ( $\Delta$ ), some curves  $e_1 = 0$  and  $e_2 = 0$ , and their intersection point.



0.7, some curves  $e_2 = 0$  for  $L_1 = 0.2$ ,  $L_3 = 0.1$ , 0.3, 0.5, 0.7, and

their unique intersection point.

Hence, wages  $(w_2, w_3)$  are uniquely determined by solving equations (10). In what follows, E denotes the Jacobian matrix of  $(e_1, e_2)$ 

$$E = \begin{pmatrix} \frac{\partial e_1}{\partial w_2} & \frac{\partial e_1}{\partial w_3} \\ \frac{\partial e_2}{\partial w_2} & \frac{\partial e_2}{\partial w_3} \end{pmatrix}$$

The determinant of E can be signed as follows.

### **Lemma 5** det(E) > 0.

**Proof.** As of the proof of Lemma 4, the curves  $\Gamma_1$  and  $\Gamma_2$  cannot be parallel at their intersection point. This means that the slopes  $-\frac{\partial e_1}{\partial w_2}/\frac{\partial e_1}{\partial w_3}$  and  $-\frac{\partial e_2}{\partial w_2}/\frac{\partial e_2}{\partial w_3}$  are not equal, and

the gradients  $(\frac{\partial e_1}{\partial w_2}, \frac{\partial e_1}{\partial w_3})$  and  $(\frac{\partial e_2}{\partial w_2}, \frac{\partial e_2}{\partial w_3})$  are not colinear. Hence,  $\det(E) \neq 0$ . By a continuity argument,  $\det(E)$  is signed inside triangle ( $\Delta$ ). If it were not, it would necessarily equate zero in some point of ( $\Delta$ ), which cannot happen.

The above Lemmas will be used to determine the general equilibrium impacts of changes in exogenous parameters on endogenous variables.

### 4 Comparative statics

First, we examine the effect of an exogenous increase in country size on relative wages and utilities. We will then study the consequences of a PTA by considering an exogenous increase in the freeness of trade between the countries concluding the PTA.

#### 4.1 Size effect

**Proposition 1** For any distinct  $i, j, k \in \{1, 2, 3\}$ ,

(i)  $\operatorname{d}(w_j/w_i)/\operatorname{d}L_j > 0$ , and (ii)  $\operatorname{d}(w_k/w_i)/\operatorname{d}L_j \stackrel{\geq}{=} 0$  if  $w_k \stackrel{\leq}{=} (\phi_{jk}/\phi_{ij})^{1/\sigma}$ .

The proof is contained in Appendix 2.

Proposition 1(i) implies that the larger a country, the higher its relative wage. This result corresponds to the size effect emphasized by Krugman (1980, p. 954) in the case of two countries. When the size of the local market increases, local firms face lower transportation costs. In equilibrium, that competitive advantage is offset by higher relative local wages. Proposition 1(ii) shows that the size effect may affect neighboring countries in a multi-country setting. We expect from Proposition 1(i) that  $w_k < (\phi_{jk}/\phi_{ij})^{1/\sigma}$  if country k is sufficiently small and the freeness of trade between countries j and k sufficiently high. This implies that an exogenous increase in the size of some country tends to increase the relative wage of a small and near country, and lowers that of a large and distant country with which trade is infrequent. This neighboring effect translates how the size effect propagates across countries: an increase in the size of some country is more sensitive to outside changes, the impact of the neighboring effect is stronger for a small country than for a large one.

We have shown that relative wages in neighboring countries may rise or fall when some country increases in size. So as to examine the impact on welfare, we rely on the following monotonic transformation of the indirect utility function:

$$\widehat{U}_{i}^{*} \equiv \sigma F \left(\frac{\sigma c}{\sigma - 1} U_{i}^{*}\right)^{\sigma - 1} = \sum_{k} \phi_{ki} L_{k} \left(\frac{w_{i}}{w_{k}}\right)^{\sigma - 1}$$
(14)

This is a sufficient statistic of the welfare in country i because we focus on the impacts of changes in country size and trade costs on the indirect utility.

#### **Proposition 2** $dU_i/dL_j > 0$ , $\forall i \text{ and } j$ .

The proof is contained in Appendix 3.

An increase in the local labor force is beneficial to all countries because the world production and demand end up increasing. While the increase in the manufacturing workers raises the number of local varieties and the quantity produced, the increase in demand raises the relative wage of local workers, which in turn raises the prices of local goods. Though the impact on relative wages in other countries may be positive or negative (depending on the sign of the neighboring effect), Proposition 2 shows that overall, the local country as well as neighboring countries gain in terms of welfare.

#### 4.2 The impact of a PTA

In this Section, we consider the scenario where countries j and k engage in a PTA and we study market integration by investigating the impact of an increase in the freeness of trade between the PTA partners on relative wages and welfare. By neglecting the source of potential tariff revenues for partner countries, our approach follows Venables (1987), Behrens *et al.* (2007), and Ossa (2011).

**Proposition 3** For any distinct  $i, j, k \in \{1, 2, 3\}$ ,  $d(w_j/w_i)/d\phi_{jk} > 0$  and  $d(w_k/w_i)/d\phi_{jk} > 0$ .

The proof is contained in Appendix 4.

Proposition 3 states that a PTA between two countries via a reduction in their trade cost increases their wages relative to that available in the third country. The *integration effect* due to a better market access between the PTA partners induces the price index in the integrating area to fall and local consumption to rise. However, because supply is fixed, the *price effect* leads prices and relative wages in the integrating area to rise so as to restore equilibrium.

Because the export price is proportional to the wage in the export country (see expression (6)), a PTA raises the export price in the partner countries, and therefore improves the termsof-trade of the integrating area, while lowering that in the excluded country. The implication on welfare is derived in the following Proposition.

**Proposition 4** For any distinct  $i, j, k \in \{1, 2, 3\}$ ,

(i)  $dU_j/d\phi_{jk} > 0$  and  $dU_k/d\phi_{jk} > 0$ . (ii)  $dU_i/d\phi_{jk} < 0$ .

The proof is contained in Appendix 5.

Proposition 4(i) is intuitive: the terms-of-trade gain provides a strong incentive for countries to engage in bilateral trade agreements. This result is similar to that obtained in other new trade models in the presence of a freely traded homogeneous good, see the trade policy implications derived in the symmetric and hub-and-spoke configurations by Puga and Venables (1997), as well as the model by Ossa (2011) where the third country trades with one partner country only. However, in general, when trade is not restricted so that each country trades with any other one, a PTA may hurt some partner country in terms of welfare under FPE. This has been shown to happen when the hub effect is large enough, see the example with  $dU_j/d\phi_{jk} < 0$  provided by Behrens *et al.* (2007, p. 637). In that case, although the two countries engaging in a PTA have a better market access and attract firms overall, firms in the smaller country move to the larger one (Baldwin and Robert-Nicoud, 2000), which reduces the welfare in the smaller country concluding the PTA. Here, in contrast to the models relying on FPE, for the PTA partners, the integration effect always dominates the price effect irrespective of country size and of the spatial distribution of resources across countries, so that welfare always increases in the integrating area.

Proposition 4(ii) is another important finding of this paper. It states that while a PTA is beneficial to the PTA partners, it is always detrimental to the third country. This result is in agreement with results obtained under FPE, see Puga and Venables (1997), Behrens et al. (2007, Proposition 3), and Ossa (2011, Proposition 3). However, here, we provide another rationale for the lower utility in the third country. Under FPE, falling trade costs between countries concluding the PTA is accompanied by the relocation of firms to the PTA partners, while it does not lead to terms-of-trade movements. That is, the relocation of firms from the third country to the PTA partners implies a worse access of the third country to the manufacturing varieties. In contrast, in this paper, falling trade costs  $\phi_{jk}$  between PTA partners raises prices and relative wages in the integrating area, countries j and k, with respect to to the price level in the third country i (see Proposition 3). Rewriting the utility in the excluded country i (11) leads to the following expression

$$U_i^* = \left[\frac{1}{\sigma F} \left(L_i + \phi_{ij} L_j \left(\frac{w_i}{w_j}\right)^{\sigma-1} + \phi_{ik} L_k \left(\frac{w_i}{w_k}\right)^{\sigma-1}\right)\right]^{\frac{1}{\sigma-1}}$$

which is independent of the freeness of trade  $\phi_{jk}$  between the partner countries. Stated differently, a PTA affects the utility  $U_i^*$  in the third country only via relative wages and reduces welfare in that country. This is because the relative wage increase in the partner countries raises production costs and product prices (see relation (6)) in the integrating area relative to those in the third country. As a result, consumers in the third country do not benefit from the integration effect and are exposed to the negative price effect. They suffer a terms-of-trade loss because they have to import the varieties produced at higher prices in the partner countries, which lowers their welfare.

## 5 Conclusion

In this paper, we have built a three-country model of international trade under monopolistic competition. In contrast to the existing literature which relies on FPE across countries, we have integrated price effects into the analysis. We have then used our model to address several market integration issues.

We have determined the role of country size on relative wages and welfare. When some country increases in size, its relative wage increases, as well as that in a small and near country, while that in a large and distant country falls. The size effect, emphasized by Krugman in the case of two countries, propagates across countries, giving rise to a neighboring effect. The market potential increases more in a neighboring country than in a distant one. We have also determined the impact of a PTA on the participating countries and the left-out country. A PTA increases the relative wage, the welfare, and the terms-of-trade in the integrating area, while it lowers those in the third country.

## Appendix 1: Proof of Lemma 3

(i) Along the curve  $\Gamma_1$ , the derivative  $dw_3/dw_2$  is computed by applying the implicit function

theorem to relation (13) and plugging  $L_2$  as given by (13) into the expression as follows

$$\frac{\mathrm{d}w_3}{\mathrm{d}w_2}\Big|_{\Gamma_1} = -\frac{\partial e_1/\partial w_2}{\partial e_1/\partial w_3} = -\frac{L_2 w_1^{\sigma-1} f_{12} - (\sigma-1) L_1 w_2^{\sigma-2} f_2 - L_1 w_2^{\sigma-1} f_{22}}{L_2 w_1^{\sigma-1} f_{13} - L_1 w_2^{\sigma-1} f_{23}} \\
= -\frac{f_2 f_{12} - (\sigma-1) f_1 f_2/w_2 - f_1 f_{22}}{f_2 f_{13} - f_1 f_{23}} \\
= \frac{w_3^{1-\sigma} g_1(w_2^{\sigma}, w_3^{\sigma})}{\sigma \Phi w_2(\phi_{13} w_2^{\sigma} - \phi_{23})}$$
(15)

where  $f_{ij} \equiv \partial f_i / \partial w_j$  and

$$\begin{split} g_1(w_2^{\sigma}, w_3^{\sigma}) &\equiv \\ (\sigma - 1)(\phi_{12} - \phi_{13}\phi_{23})(-1 + \phi_{23}^2) - (\sigma - 1)(-2\phi_{12}\phi_{13} + \phi_{23} + \phi_{12}^2\phi_{23} + \phi_{13}^2\phi_{23} - \phi_{23}^3)w_3^{\sigma} \\ + [-1 - \phi_{12}^2 + \phi_{13}^2 + 2\phi_{12}\phi_{13}\phi_{23} + \phi_{23}^2 - 2\phi_{13}^2\phi_{23}^2 + 2\sigma(-1 + \phi_{13}^2)(-1 + \phi_{23}^2)]w_2^{\sigma} \\ + [(2\sigma - 1)\phi_{13}^3 + 2(\sigma - 1)\phi_{12}\phi_{23} - 2\sigma\phi_{12}\phi_{13}^2\phi_{23} + \phi_{13}(1 - 2\sigma + \phi_{12}^2 + \phi_{23}^2)]w_2^{\sigma}w_3^{\sigma} \\ + (\sigma - 1)(\phi_{13}^2 - 1)(\phi_{12} - \phi_{13}\phi_{23})w_2^{2\sigma} + (\sigma - 1)[\phi_{13}\phi_{23} + \phi_{12}^2\phi_{13}\phi_{23} - \phi_{12}(\phi_{13}^2 + \phi_{23}^2)]w_3^{2\sigma} \end{split}$$

We consider the numerator of (15) and show that  $g_1(w_2^{\sigma}, w_3^{\sigma}) > 0$  in the interior of triangle ( $\Delta$ ).

By evaluating the expression  $g_1(w_2^{\sigma}, w_3^{\sigma})$  at the three corners of  $(\Delta)$ , we obtain  $g_1(\phi_{12}, \phi_{13}) = \sigma \phi_{12}(1-\phi_{13}^2) \Phi > 0$ ,  $g_1(\phi_{23}/\phi_{13}, \phi_{13}^{-1}) = 0$ , and  $g_1(\phi_{12}^{-1}, \phi_{23}/\phi_{12}) = \sigma(\phi_{12}-\phi_{13}\phi_{23})\Phi/\phi_{12}^2 > 0$ . We show that the curve  $\Gamma_3$  defined by the expression  $g_1(w_2^{\sigma}, w_3^{\sigma}) = 0$  does not intersect triangle  $(\Delta)$ , except at corner  $(\phi_{23}/\phi_{13}, \phi_{13}^{-1})$ . By substituting the expression of line  $(f_1 = 0)$  into  $g_1(w_2^{\sigma}, w_3^{\sigma}) = 0$ , we have that line  $(f_1 = 0)$  intersects the curve  $\Gamma_3$  in two points  $(w_2^{\sigma}, w_3^{\sigma})$  with  $w_3^{\sigma}$  satisfying  $(w_3^{\sigma})_1 = \phi_{13}^{-1}$  and  $(w_3^{\sigma})_2 = (1-\phi_{23}^2)/(\phi_{13}-\phi_{12}\phi_{23})$ . Because  $(w_3^{\sigma})_2 - (w_3^{\sigma})_1 = \phi_{23}(\phi_{12}-\phi_{13}\phi_{23})/[\phi_{13}(\phi_{13}-\phi_{12}\phi_{23})] > 0$ , the curve  $\Gamma_3$  intersects triangle  $(\Delta)$  at corner  $(\phi_{23}\phi_{13}^{-1}, \phi_{13}^{-1})$  only. By substituting the expression of line  $(f_2 = 0)$  into  $g_1(w_2^{\sigma}, w_3^{\sigma}) = 0$ , we have that line  $(f_2 = 0)$  into  $g_1(w_2^{\sigma}, w_3^{\sigma}) = 0$ , we have that line  $(f_2 = 0)$  intersects the curve in two points  $(w_2^{\sigma}, w_3^{\sigma}) = 0$ . This second intersection point is outside  $(\Delta)$ . By substituting the expression of line  $(f_3 = 0)$  into  $g_1(w_2^{\sigma}, w_3^{\sigma}) = 0$ , we obtain that line  $(f_3 = 0)$  intersects the curve  $\Gamma_3$  in  $(w_2^{\sigma}, w_3^{\sigma})$  with  $w_3^{\sigma}$  satisfying the following quadratic

equation

$$g_{2}(w_{3}^{\sigma}) \equiv (-\sigma\phi_{12}\phi_{13}^{2} - \phi_{13}\phi_{23} + 2\sigma\phi_{13}\phi_{23} + \phi_{12}^{2}\phi_{13}\phi_{23} + \phi_{13}^{3}\phi_{23} - \sigma\phi_{13}^{3}\phi_{23} - \sigma\phi_{12}\phi_{23}^{2} \\ -2\phi_{12}\phi_{13}^{2}\phi_{23}^{2} + 2\sigma\phi_{12}\phi_{13}^{2}\phi_{23}^{2} + \phi_{13}\phi_{23}^{3} - \sigma\phi_{13}\phi_{23}^{3}) + (\phi_{12}\phi_{13} - \phi_{12}^{3}\phi_{13} - \phi_{12}\phi_{13}^{3} \\ +2\sigma\phi_{12}\phi_{13}^{3} + \phi_{23} - 2\sigma\phi_{23} - \phi_{12}^{2}\phi_{23} + 2\sigma\phi_{12}^{2}\phi_{23} - \phi_{13}^{2}\phi_{23} + 2\phi_{12}^{2}\phi_{13}^{2}\phi_{23} \\ -3\sigma\phi_{12}^{2}\phi_{13}^{2}\phi_{23} + \phi_{12}\phi_{13}\phi_{23}^{2} - \phi_{23}^{3} + \sigma\phi_{23}^{3})w_{3}^{\sigma} + (-\phi_{12} + \sigma\phi_{12} + \phi_{12}^{3} - \sigma\phi_{12}^{3} + \phi_{12}\phi_{13}^{2} \\ -2\sigma\phi_{12}\phi_{13}^{2} + \sigma\phi_{12}^{3}\phi_{13}^{2} + \sigma\phi_{13}\phi_{23} - 2\phi_{12}^{2}\phi_{13}\phi_{23} + \sigma\phi_{12}^{2}\phi_{13}\phi_{23} + \phi_{12}\phi_{23}^{2} - \sigma\phi_{12}\phi_{23}^{2})w_{3}^{2\sigma} \\ = 0$$

Because the coefficient of  $w_3^{2\sigma}$  can be rewritten as  $(\sigma - 1)(1 - \phi_{12}^2)(\phi_{12} - \phi_{13}\phi_{23}) + (\phi_{23} - \phi_{12}\phi_{13})$  $[\sigma\phi_{13}(1 - \phi_{12}^2) + (\sigma - 1)(\phi_{13} - \phi_{12}\phi_{23})] > 0$ , and  $g_2(\phi_{13}) = -\sigma\phi_{12}(1 - \phi_{13}^2)(\phi_{23} - \phi_{12}\phi_{13})^2 \leq 0$ and  $g_2(\phi_{23}/\phi_{12}) = -\sigma(\phi_{12} - \phi_{13}\phi_{23})(\phi_{23} - \phi_{12}\phi_{13})^2/\phi_{12}^2 \leq 0$ , the quadratic expression  $g_2(w_3^{\sigma})$  is signed along the side  $(f_3 = 0)$  of triangle ( $\Delta$ ) except in the corners, and the curve  $\Gamma_3$  does not intersect along that side of ( $\Delta$ ) except in the corners.

This means that the curve  $\Gamma_3$  intersects ( $\Delta$ ) in  $(\phi_{23}\phi_{13}^{-1}, \phi_{13}^{-1})$  and eventually in the other corners when  $\phi_{23} = \phi_{12}\phi_{13}$ . Therefore, the expression  $g_1(w_2^{\sigma}, w_3^{\sigma})$  is strictly positive inside triangle ( $\Delta$ ).

Finally, given the denominator of (15),  $dw_3/dw_2 \ge 0$  if  $w_2^{\sigma} \le \phi_{23}/\phi_{13}$ .

(ii) Along the curve  $\Gamma_2$ , the derivative  $dw_3/dw_2$  is also obtained by applying the implicit function theorem to relation (13) as follows

$$\frac{\mathrm{d}w_3}{\mathrm{d}w_2}\Big|_{\Gamma_2} = -\frac{\partial e_2/\partial w_2}{\partial e_2/\partial w_3} = -\frac{f_3f_{12} - f_1f_{32}}{f_3f_{13} - (\sigma - 1)f_1f_3/w_3 - f_1f_{33}} \\
= \frac{\sigma\Phi w_2^{1-\sigma}w_3(\phi_{23} - \phi_{12}w_3^{\sigma})}{g_3(w_2^{\sigma}, w_3^{\sigma})}$$
(16)

where  $f_{ij} \equiv \partial f_i / \partial w_j$  and expression  $g_3(w_2^{\sigma}, w_3^{\sigma})$  is given by

$$\begin{split} g_{3}(w_{2}^{\sigma}, w_{3}^{\sigma}) &\equiv -(\sigma - 1) \left(1 - \phi_{12}^{2}\right) \left(\phi_{13} - \phi_{12}\phi_{23}\right) w_{3}^{2\sigma} \\ &\left[\phi_{12} - 2\phi_{13}\phi_{23} + \phi_{12}\phi_{13}^{2} + \phi_{12}\phi_{23}^{2} - \phi_{12}^{3} - 2\sigma \left(1 - \phi_{12}^{2}\right) \left(\phi_{12} - \phi_{13}\phi_{23}\right)\right] w_{2}^{\sigma} w_{3}^{\sigma} \\ &+ \left[2\sigma \left(1 - \phi_{12}^{2}\right) \left(1 - \phi_{23}^{2}\right) - 1 + \phi_{12}^{2} - \phi_{13}^{2} + \phi_{23}^{2} + 2\phi_{12}\phi_{13}\phi_{23} - 2\phi_{12}^{2}\phi_{23}^{2}\right] w_{3}^{\sigma} \\ &- (\sigma - 1) \left[\phi_{13} - \phi_{12}\phi_{23} + \left(\phi_{23} - \phi_{12}\phi_{13}\right) w_{2}^{\sigma}\right] \left[1 - \phi_{23}^{2} - \left(\phi_{12} - \phi_{13}\phi_{23}\right) w_{2}^{\sigma}\right] \end{split}$$

We consider the denominator of (16) and show that  $g_3(w_2^{\sigma}, w_3^{\sigma}) > 0$  in the interior of triangle ( $\Delta$ ). For this purpose, we evaluate  $g_3$  along the three sides of triangle ( $\Delta$ ).

First, solving  $f_1(w_2^{\sigma}, w_3^{\sigma}) = 0$  for  $w_3^{\sigma}$  and plugging the solution into  $g_3(w_2^{\sigma}, w_3^{\sigma})$  lead to

$$g_3(w_2^{\sigma}, w_3^{\sigma})|_{f_1=0} = \frac{\sigma \Phi \left(1 - \phi_{12} w_2^{\sigma}\right)}{\phi_{13} - \phi_{12} \phi_{23}} g_4(w_2^{\sigma})$$

where

$$g_4(w_2^{\sigma}) \equiv 1 - \phi_{23}^2 - (\phi_{12} - \phi_{13}\phi_{23}) w_2^{\sigma}$$
  

$$\geq 1 - \phi_{23}^2 - (\phi_{12} - \phi_{13}\phi_{23}) / \phi_{12}$$
  

$$= (\phi_{13} - \phi_{12}\phi_{23}) \phi_{23} / \phi_{12} > 0$$

Hence,  $g_3(w_2^{\sigma}, w_3^{\sigma})|_{f_1=0} \ge 0.$ 

Second, solving  $f_2(w_2^{\sigma}, w_3^{\sigma}) = 0$  for  $w_3^{\sigma}$  and plugging the solution into  $g_3(w_2^{\sigma}, w_3^{\sigma})$  lead to

$$g_3(w_2^{\sigma}, w_3^{\sigma})|_{f_2=0} = \frac{\sigma \Phi}{\left(\phi_{23} - \phi_{12}\phi_{13}\right)^2} g_5(w_2^{\sigma})$$

where  $g_5(w_2^{\sigma})$  is given by

$$g_{5}(w_{2}^{\sigma}) \equiv g_{6}(\phi_{12}) w_{2}^{2\sigma} + [\phi_{12}^{3}(\phi_{13} - 2\sigma\phi_{13}) + \phi_{12}^{2}\phi_{23} \left(3\sigma\phi_{13}^{2} - 2\phi_{13}^{2} + 1\right) \\ -(2\sigma - 1) \left(\phi_{13}^{2} - 1\right) \phi_{23} - (\sigma - 1)\phi_{23}^{3} + \phi_{12}\phi_{13} \left(\phi_{13}^{2} - \phi_{23}^{2} - 1\right)]w_{2}^{\sigma} \\ +\phi_{12}\phi_{23} \left(\sigma\phi_{12}^{2} - 2\sigma - \phi_{12}^{2} - \phi_{13}^{2} + 1\right) + \phi_{13}\phi_{23}^{2} \left(\sigma - 2(\sigma - 1)\phi_{12}^{2}\right) + \sigma\phi_{12}^{2}\phi_{13} + (\sigma - 1)\phi_{12}\phi_{23}^{3}$$

with

$$g_6(\phi_{12}) \equiv \left(2\sigma - \sigma\phi_{13}^2 - 1\right)\phi_{13}\phi_{12}^2 - \left(\sigma + \sigma\phi_{13}^2 - 2\phi_{13}^2\right)\phi_{23}\phi_{12} - (\sigma - 1)\phi_{13}\left(1 - \phi_{13}^2 - \phi_{23}^2\right)\phi_{13}\phi_{13}\phi_{12} - (\sigma - 1)\phi_{13}\left(1 - \phi_{13}^2 - \phi_{23}^2\right)\phi_{13}\phi_{13}\phi_{13} - \phi_{13}\phi_{13}\phi_{13} - \phi_{13}\phi_{13} - \phi_{13}\phi_{13}\phi_{13} - \phi_{13}\phi_{13} - \phi_{13}\phi$$

While  $g_5$  is quadratic in  $w_2^{\sigma}$ ,  $g_6$  is quadratic and convex in  $\phi_{12}$ . Therefore, so as to show that  $g_5$  is concave in  $w_2^{\sigma}$ , we show that  $g_6(\phi_{12})$  is negative by evaluating it at the three corners of ( $\Delta$ ). By plugging  $\phi_{12} = \phi_{13}\phi_{23}$ ,  $\phi_{13}/\phi_{23}$ ,  $\phi_{23}/\phi_{13}$  into  $g_6(\phi_{12})$ , we have respectively

$$g_{6}(\phi_{13}\phi_{23}) = -\phi_{13}\left(1 - \phi_{13}^{2}\right)\left[\sigma\left(1 - \phi_{13}^{2}\phi_{23}^{2}\right) - 1 + \phi_{23}^{2}\right]$$
$$< -\phi_{13}\left(1 - \phi_{13}^{2}\right)\left[\left(1 - \phi_{13}^{2}\phi_{23}^{2}\right) - 1 + \phi_{23}^{2}\right]$$
$$= -\phi_{13}\left(1 - \phi_{13}^{2}\right)^{2}\phi_{23}^{2} < 0$$

$$g_{6}(\phi_{13}/\phi_{23}) = -\frac{\phi_{13}(\phi_{23}^{2} - \phi_{13}^{2})}{\phi_{23}^{2}} \left[\sigma\left(2 - \phi_{13}^{2} - \phi_{23}^{2}\right) - 1 + \phi_{23}^{2}\right]$$

$$< -\frac{\phi_{13}(\phi_{23}^{2} - \phi_{13}^{2})}{\phi_{23}^{2}} \left[\left(2 - \phi_{13}^{2} - \phi_{23}^{2}\right) - 1 + \phi_{23}^{2}\right]$$

$$= -\frac{\phi_{13}(\phi_{23}^{2} - \phi_{13}^{2})}{\phi_{23}^{2}} \left(1 - \phi_{13}^{2}\right) < 0$$

and

$$g_6\left(\phi_{23}/\phi_{13}\right) = -\frac{(\sigma-1)\phi_{13}\left(\phi_{13}^2 - \phi_{23}^2\right)}{\phi_{13}} < 0.$$

As a consequence,  $g_6(\phi_{12}) < 0$  always holds, and  $g_5(w_2^{\sigma})$  is concave in  $w_2^{\sigma}$ . Furthermore, the values of  $g_5(w_2^{\sigma})$  at the two vertices, where  $w_2^{\sigma} = \phi_{12}, \phi_{23}/\phi_{13}$ , are given by

$$g_{5}(\phi_{12}) = \sigma (1 - \phi_{12})^{2} (\phi_{23} - \phi_{12}\phi_{13})^{2} \phi_{13} > 0$$
  
$$g_{5}(\phi_{23}/\phi_{13}) = \frac{\sigma (\phi_{13} - \phi_{12}\phi_{23})^{2} (\phi_{23} - \phi_{12}\phi_{13})^{2}}{\phi_{13}^{2}} > 0$$

Hence,  $g_5(w_2^{\sigma}) > 0$  and  $g_3(w_2^{\sigma}, w_3^{\sigma})|_{f_2=0} \ge 0$ .

Third, solving  $f_3(w_2^{\sigma}, w_3^{\sigma}) = 0$  for  $w_3^{\sigma}$  and plugging the solution into  $g_3(w_2^{\sigma}, w_3^{\sigma})$  lead to

$$g_3(w_2^{\sigma}, w_3^{\sigma})|_{f_3=0} = \frac{\sigma\Phi\left(1 - \phi_{12}w_2^{\sigma}\right)}{\left(1 - \phi_{12}^2\right)}\left[\left(\phi_{13} - \phi_{12}\phi_{23}\right) + \left(\phi_{23} - \phi_{12}\phi_{13}\right)w_2^{\sigma}\right] > 0$$

Hence,  $g_3$  is positive along the three sides of triangle ( $\Delta$ ) except at the vertex  $(1/\phi_{12}, \phi_{23}/\phi_{12})$ . By a continuity argument,  $g_3$  is positive inside ( $\Delta$ ).

Finally, given the numerator of (16),  $dw_3/dw_2 \ge 0$  if  $w_3^{\sigma} \le \phi_{23}/\phi_{12}$ .

## Appendix 2: Proof of Proposition 1

We show the Proposition for (i, j, k) = (1, 2, 3). The other results can be obtained simply by reindexing country numbers.

(i) By applying the implicit function theorem to relations (13) and plugging  $L_2$  and  $L_3$  as given by (13) into the expression, we have

$$\frac{\mathrm{d}\left(w_2/w_1\right)}{\mathrm{d}L_2} = \frac{\mathrm{d}w_2}{\mathrm{d}L_2} = -\frac{\frac{\partial e_1}{\partial L_2}\frac{\partial e_2}{\partial w_3}}{\mathrm{det}(E)} = \frac{L_1 w_3^{\sigma-2}}{\mathrm{det}(E)} g_3(w_2^{\sigma}, w_3^{\sigma}) > 0 \tag{17}$$

where  $g_3(w_2^{\sigma}, w_3^{\sigma})$  has been defined and shown to be positive inside triangle ( $\Delta$ ) in the proof of Lemma 3 in Appendix 1.

Given Lemma 5,  $\det(E) > 0$ , and therefore  $d(w_2/w_1)/dL_2 > 0$ .

(ii) Also by applying the implicit function theorem, we readily get

$$\frac{\mathrm{d}w_3}{\mathrm{d}L_2} = \frac{L_1 w_3^{\sigma-1}}{\det(E)} \left( f_3 f_{12} - f_1 f_{32} \right) = \frac{\sigma \Phi L_1 w_2^{\sigma-1} w_3^{\sigma-1}}{\det(E)} (\phi_{23} - \phi_{12} w_3^{\sigma}) \tag{18}$$

Given Lemma 5,  $dw_3/dL_2 \stackrel{\geq}{\equiv} 0$  if  $w_3^{\sigma} \stackrel{\leq}{\leq} \phi_{23}/\phi_{12}$ .

## Appendix 3: Proof of Proposition 2

We show the Proposition for j = 2. The other results can be obtained in a similar way.

(i) By deriving the utility  $\widehat{U}_1^*$  in country 1 as given by (14) with respect to  $L_2$ , we get

$$\frac{\mathrm{d}\widehat{U}_1^*}{\mathrm{d}L_2} = \frac{\partial\widehat{U}_1^*}{\partial L_2} + \frac{\partial\widehat{U}_1^*}{\partial w_2}\frac{\mathrm{d}w_2}{\mathrm{d}L_2} + \frac{\partial\widehat{U}_1^*}{\partial w_3}\frac{\mathrm{d}w_3}{\mathrm{d}L_2}$$

where  $dw_2/dL_2$  and  $dw_3/dL_2$  are given respectively by expressions (17) and (18) in Appendix 2. Substituting  $L_2$  and  $L_3$  as given by relation (13) into the above expression yields

$$\frac{\mathrm{d}\widehat{U}_1^*}{\mathrm{d}L_2} = \frac{L_1^2 w_2^{\sigma-1} w_3^{\sigma-2}}{\mathrm{det}(E) \ f_1^3} \ g_7(w_2^{\sigma}, w_3^{\sigma})$$

where

$$g_{7}(w_{2}^{\sigma}, w_{3}^{\sigma}) \equiv (\sigma - 1) (\phi_{12} - \phi_{13}\phi_{23}) (\phi_{13} - \phi_{12}\phi_{23}) + (\sigma - 1) (\phi_{12} - \phi_{13}\phi_{23}) (\phi_{23} - \phi_{12}\phi_{13}) w_{2}^{\sigma} - [(3\sigma - 1) \phi_{12}^{2}\phi_{13}\phi_{23} + \phi_{12} (2\sigma - 1 - \sigma\phi_{13}^{2} - \sigma\phi_{23}^{2}) - (2\sigma - 1) \phi_{12}^{3} - (\sigma - 1) \phi_{13}\phi_{23}] w_{3}^{\sigma}$$

We compute the values of  $g_7(w_2^{\sigma}, w_3^{\sigma})$  at the three vertices of triangle ( $\Delta$ ) as

$$\begin{split} g_7(\phi_{12},\phi_{13}) &= & \sigma\phi_{12}\phi_{13}\Phi > 0 \\ g_7(1/\phi_{12},\phi_{23}/\phi_{12}) &= & \sigma\phi_{23}\Phi > 0 \\ g_7(\phi_{23}/\phi_{13},1/\phi_{13}) &= & \frac{\Phi}{\phi_{13}}\left[\phi_{13}\phi_{23} - \phi_{12} + \sigma\left(2\phi_{12} - \phi_{13}\phi_{23}\right)\right] \\ &> & \frac{\Phi}{\phi_{13}}\left[\phi_{13}\phi_{23} - \phi_{12} + \left(2\phi_{12} - \phi_{13}\phi_{23}\right)\right] = \frac{\Phi}{\phi_{13}}\phi_{12} > 0 \end{split}$$

all of which are positive. Because  $g_7(w_2^{\sigma}, w_3^{\sigma})$  is linear in  $w_2^{\sigma}$  and  $w_3^{\sigma}$ , solving  $f_i(w_2^{\sigma}, w_3^{\sigma}) = 0$ along each side of triangle ( $\Delta$ ) for  $w_3^{\sigma}$  and plugging the solution into  $g_7(w_2^{\sigma}, w_3^{\sigma})$  leads to another linear expression in  $w_2^{\sigma}$ . This implies that  $g_7(w_2^{\sigma}, w_3^{\sigma})$  is positive along each side of ( $\Delta$ ). By a continuity argument,  $g_7(w_2^{\sigma}, w_3^{\sigma})$  is positive inside ( $\Delta$ ), which implies that  $d\hat{U}_1^*/dL_2 > 0$ .

(ii) The sufficient statistic of welfare  $\hat{U}_2^*$  in country 2 is given by expression (14)

$$\widehat{U}_{2}^{*} = \phi_{12} L_{1} \left(\frac{w_{2}}{w_{1}}\right)^{\sigma-1} + L_{2} + \phi_{23} L_{3} \left(\frac{w_{2}}{w_{3}}\right)^{\sigma-1}$$
(19)

The first term of (19) is increasing in  $L_2$  as resulting from Proposition 1(i). Obviously, the second term is also increasing in  $L_2$ . Thus, so as to prove that  $d\hat{U}_2^*/dL_2 > 0$ , it is sufficient to show that  $w_2/w_3$  is increasing in  $L_2$ .

$$\frac{\mathrm{d}(w_2/w_3)}{\mathrm{d}L_2} = \frac{\frac{\mathrm{d}w_2}{\mathrm{d}L_2}w_3 - \frac{\mathrm{d}w_3}{\mathrm{d}L_2}w_2}{w_3^2} = \frac{w_3^{\sigma-3}L_1}{\mathrm{det}(E) \ f_1^2} \ g_8(w_2^{\sigma}, w_3^{\sigma})$$

where

$$\begin{split} g_8 &\equiv (w_2^{\sigma}, w_3^{\sigma})(\sigma - 1)(\phi_{23} - \phi_{12}\phi_{13})(\phi_{12} - \phi_{13}\phi_{23})w_2^{2\sigma} - (\sigma - 1)\left(1 - \phi_{12}^2\right)(\phi_{13} - \phi_{12}\phi_{23})w_3^{2\sigma} \\ &+ (\sigma - 1)\left[\phi_{12}^3 - \phi_{12}\left(\phi_{13}^2 + \phi_{23}^2 + 1\right) + 2\phi_{13}\phi_{23}\right]w_2^{\sigma}w_3^{\sigma} \\ &+ \left(-2\sigma\phi_{12}\phi_{13}\phi_{23}^2 + 2\sigma\phi_{12}\phi_{13} + 2\sigma\phi_{23}^2 - 2\sigma\phi_{23} + \phi_{12}^2\phi_{23} - 2\phi_{12}\phi_{13} + \phi_{13}^2\phi_{23} - \phi_{23}^3 + \phi_{23}\right)w_2^{\sigma} \\ &+ \left[2\sigma\left(1 - \phi_{12}^2\right)\left(1 - \phi_{23}^2\right) + \phi_{12}^2 + \phi_{23}(2\phi_{12}(\phi_{13} - \phi_{12}\phi_{23}) + \phi_{23}) - \phi_{13}^2 - 1\right]w_3^{\sigma} \\ &- (\sigma - 1)\left(1 - \phi_{23}^2\right)(\phi_{13} - \phi_{12}\phi_{23}) \end{split}$$

We compute the values of  $g_8(w_2^{\sigma}, w_3^{\sigma})$  at the three vertices of triangle ( $\Delta$ ) as

$$g_8(\phi_{12},\phi_{13}) = \sigma(\phi_{13}-\phi_{12}\phi_{23})\Phi > 0$$
  

$$g_8(1/\phi_{12},\phi_{23}/\phi_{12}) = 0$$
  

$$g_8(\phi_{23}/\phi_{13},1/\phi_{13}) = -\frac{\sigma\left(1-\phi_{23}^2\right)\Phi}{\phi_{13}} > 0$$

all of which are nonnegative.

First, solving  $f_1(w_2^{\sigma}, w_3^{\sigma}) = 0$  for  $w_3^{\sigma}$  and plugging the solution into  $g_8(w_2^{\sigma}, w_3^{\sigma})$  yields

$$g_8(w_2^{\sigma}, w_3^{\sigma})|_{f_1=0} = \frac{\sigma\left(1 - \phi_{23}^2\right)\Phi\left(1 - \phi_{12}w_2^{\sigma}\right)}{\phi_{13} - \phi_{12}\phi_{23}} > 0$$

Second, solving  $f_2(w_2^{\sigma}, w_3^{\sigma}) = 0$  for  $w_3^{\sigma}$  and plugging the solution into  $g_8(w_2^{\sigma}, w_3^{\sigma})$  yields

$$g_8(w_2^{\sigma}, w_3^{\sigma})|_{f_2=0} = \frac{\Phi}{(\phi_{23} - \phi_{12}\phi_{13})^2} \ g_9(w_2^{\sigma})$$

where  $g_9(w_2^{\sigma})$ 

$$g_{9}(w_{2}^{\sigma}) \equiv -(\sigma - 1)\phi_{13}\Phi w_{2}^{2\sigma} + [\phi_{12}^{3}(\phi_{13} - \sigma\phi_{13}) + \phi_{12}^{2}\phi_{23}((\sigma - 2)\phi_{13}^{2} - \sigma + 1) + \phi_{12}\phi_{13}((3\sigma - 1)\phi_{23}^{2} + \phi_{13}^{2} - 1) - (2\sigma - 1)\phi_{23}(\phi_{13}^{2} + \phi_{23}^{2} - 1)]w_{2}^{\sigma} + \phi_{12}\phi_{23}(\sigma(\phi_{12}^{2} - 2) - \phi_{12}^{2} - \phi_{13}^{2} + 1) + \phi_{13}\phi_{23}^{2}(\sigma - 2(\sigma - 1)\phi_{12}^{2}) + \sigma\phi_{12}^{2}\phi_{13} + (\sigma - 1)\phi_{12}\phi_{23}^{3}$$

Since  $g_9(w_2^{\sigma})$  is concave in  $w_2^{\sigma}$  and

$$g_{9}(\phi_{12}) = \sigma(\phi_{13} - \phi_{12}\phi_{23})(\phi_{23} - \phi_{12}\phi_{13})^{2} > 0$$
  
$$g_{9}(\phi_{23}/\phi_{13}) = \frac{\sigma(1 - \phi_{23}^{2})(\phi_{23} - \phi_{12}\phi_{13})^{2}}{\phi_{13}} > 0$$

 $g_9(w_2^{\sigma})$  and  $g_8(w_2^{\sigma}, w_3^{\sigma})$  are positive along the side  $(f_2 = 0)$  of triangle  $(\Delta)$ .

Third, solving  $f_3(w_2^{\sigma}, w_3^{\sigma}) = 0$  for  $w_3^{\sigma}$  and plugging the solution into  $g_8(w_2^{\sigma}, w_3^{\sigma})$  yields

$$g_8(w_2^{\sigma}, w_3^{\sigma})|_{f_3=0} = \frac{\sigma(\phi_{13} - \phi_{12}\phi_{23})\Phi\left(1 - \phi_{12}w_2^{\sigma}\right)}{1 - \phi_{12}^2} > 0$$

By a continuity argument,  $g_8(w_2^{\sigma}, w_3^{\sigma})$  is positive inside triangle ( $\Delta$ ), which implies that  $w_2/w_3$  is increasing in  $L_2$ , and therefore  $d\hat{U}_2^*/dL_2 > 0$ .

(iii) By symmetry, a proof similar to (i) applies for country 3, and  $d\hat{U}_3^*/dL_2$ .

## Appendix 4: Proof of Proposition 3

We show the Proposition for (i, j, k) = (1, 2, 3). The other results can be obtained simply by reindexing country numbers.

The expression  $dw_2/d\phi_{23}$  is computed by applying the implicit function theorem to relation (13) and plugging  $L_2$  and  $L_3$  as given by (13) into the expression

$$\frac{\mathrm{d}w_2}{\mathrm{d}\phi_{23}} = \frac{w_2^{\sigma-1} w_3^{\sigma-2} L_1^2 f_3(w_2^{\sigma}, w_3^{\sigma})}{\mathrm{det}(E) f_1^3} g_{10}(w_2^{\sigma}, w_3^{\sigma})$$
(20)

where

$$g_{10}(w_2^{\sigma}, w_3^{\sigma}) \equiv (1 - \sigma)(\phi_{13} - 2\phi_{12}\phi_{23} + \phi_{13}\phi_{23}^2) + 2(\sigma - 1)(\phi_{13}^2 - 1)\phi_{23}w_2^{\sigma}$$
$$+ (-1 + \phi_{12}^2 - 2\sigma(-1 + \phi_{12}^2) - \phi_{13}^2 + 2\phi_{12}\phi_{13}\phi_{23} - \phi_{23}^2)w_3^{\sigma}$$
$$+ (\sigma - 1)\phi_{13}(1 - \phi_{13}^2)w_2^{2\sigma} + (\sigma - 1)(-1 + \phi_{12}^2)\phi_{13}w_3^{2\sigma}$$

Given that  $f_i > 0$  and  $\det(E) > 0$  by Lemma 5, we need to show that expression  $g_{10}$  is signed in the interior of triangle ( $\Delta$ ). We show that the curve  $\Gamma_4$  defined by  $g_{10}(w_2^{\sigma}, w_3^{\sigma}) = 0$  does not intersect triangle ( $\Delta$ ).

First, by substituting the expression of line  $(f_1 = 0)$  into  $g_{10}(w_2^{\sigma}, w_3^{\sigma})$ , we have that line  $(f_1 = 0)$  intersects the curve  $\Gamma_4$  with  $w_2^{\sigma}$  satisfying the following quadratic equation

$$g_{11}(w_2^{\sigma}) \equiv (\sigma - 1) \left(\phi_{12}^2 - \phi_{13}^2\right) \phi_{13} w_2^{2\sigma} + \left(2\sigma - 1 - \phi_{23}^2\right) \phi_{12} \phi_{23} - \phi_{13} \left((\sigma - 2) \phi_{23}^2 + \sigma\right) + \left[(2\sigma - 3)\phi_{13}^2 \phi_{23} - (2\sigma - 1) \phi_{12}^2 \phi_{23} + \phi_{12} \phi_{13} \left(1 + \phi_{23}^2\right)\right] w_2^{\sigma} = 0$$

$$(21)$$

By evaluating function  $g_{11}$  at the 2 corners of side  $(f_1 = 0)$ , we get  $g_{11}(\phi_{23}/\phi_{13}) = -\sigma \Phi/\phi_{13} < 0$  and  $g_{11}(\phi_{12}^{-1}) = -((\sigma - 1)\phi_{13} + \phi_{12}\phi_{23})\Phi/\phi_{12}^2 < 0$ .

(i) If  $\phi_{12} \ge \phi_{13}$ , then  $g_{11}$  is convex, and thus signed along side  $(f_1 = 0)$ , implying no intersection point of  $\Gamma_4$  with side  $(f_1 = 0)$ .

(ii) If  $\phi_{12} < \phi_{13}$ , then  $g_{11}$  is concave. Solving  $\partial g_{11} / \partial w_2^{\sigma} = 0$  with respect to  $w_2^{\sigma}$  and plugging the solution into  $g_{11}$  leads to

$$g_{11} = \frac{(\phi_{13} - \phi_{12}\phi_{23})^2}{4(\sigma - 1)(\phi_{13}^2 - \phi_{12}^2)\phi_{13}}A_1$$

$$A_1 \equiv (2\sigma - 1)^2 \phi_{12}^2 - (4\sigma^2 - 4\sigma + \phi_{23}^2)\phi_{13}^2 - 2\phi_{12}\phi_{23}\phi_{13}$$
(22)

Therefore, if  $A_1 < 0$ , then  $g_{11} < 0$  holds on side  $(f_1 = 0)$ . Next, we get

$$\frac{\partial g_{11}}{\partial w_2^{\sigma}}\Big|_{w_2^{\sigma}=1/\phi_{12}} = \frac{(\phi_{13} - \phi_{12}\phi_{23})}{\phi_{12}}A_2$$

$$A_2 \equiv (2\sigma - 1)^2 \phi_{12}^2 - 2(\sigma - 1)\phi_{13}^2 - \phi_{12}\phi_{23}\phi_{13}$$
(23)

Therefore, if  $A_2 > 0$ , then the curve  $g_{11} = 0$  does not intersect  $(f_1 = 0)$  for all  $w_2^{\sigma} \in [\phi_{23}/\phi_{13}, 1/\phi_{12}]$ . It can be readily shown that  $A_1 < A_2$ . If  $A_1 < A_2 \leq 0$ , then from expression (22), the curve  $g_{11} = 0$  does not intersect  $(f_1 = 0)$  for all  $w_2^{\sigma} \in [\phi_{23}/\phi_{13}, 1/\phi_{12}]$ . On the other

hand, if  $A_2 > 0$ , then the slope (23) is positive, and  $g_{11}$  is signed for all  $w_2^{\sigma} \in [\phi_{23}/\phi_{13}, 1/\phi_{12}]$ too. Hence, the curve  $\Gamma_4$  does not intersect  $(f_1 = 0)$  inside triangle ( $\Delta$ ).

Second, by substituting the expression of line  $(f_2 = 0)$  into  $g_{10}(w_2^{\sigma}, w_3^{\sigma})$ , we have that line  $(f_2 = 0)$  intersects the curve  $\Gamma_4$  at  $w_2^{\sigma}$  satisfying

$$g_{12}(w_2^{\sigma}) \equiv \sigma \phi_{12}^2 \phi_{13} - 2\sigma \phi_{12} \phi_{23} - \phi_{12}(-1 + \phi_{13}^2)\phi_{23} + \sigma \phi_{13}\phi_{23}^2 - (\sigma - 1)\phi_{13}(1 - \phi_{13}^2)w_2^{2\sigma} + (\phi_{12}\phi_{13}(-1 + \phi_{13}^2) + 2\sigma\phi_{23} - 2\sigma\phi_{13}^2\phi_{23} + (-1 + \phi_{13}^2)\phi_{23})w_2^{\sigma} = 0$$

Given that  $g_{12}(w_2^{\sigma})$  is concave,  $g_{12}(\phi_{12}) = \sigma \phi_{13} \Phi > 0$ , and  $g_{12}(\phi_{23}/\phi_{13}) = \sigma \Phi/\phi_{13} > 0$ , the quadratic expression  $g_{12}(w_2^{\sigma})$  is signed along side  $(f_2 = 0)$ , and thus the curve  $\Gamma_4$  does not intersect  $(f_2 = 0)$  inside triangle ( $\Delta$ ). It can easily be shown that  $g_{10} = 0$  always intersect  $(f_2 = 0)$  outside ( $\Delta$ ).

Third, by substituting the expression of line  $(f_3 = 0)$  into  $g_{10}(w_2^{\sigma}, w_3^{\sigma})$ , we have that line  $(f_3 = 0)$  intersects the curve  $\Gamma_4$  at  $w_2^{\sigma}$  satisfying

$$g_{13}(w_2^{\sigma}) \equiv \sigma\phi_{13} - \phi_{13}\phi_{23} + (\phi_{12}\phi_{13} - 2\sigma\phi_{12}\phi_{13} + \phi_{23})w_2^{\sigma} + (\sigma - 1)\phi_{13}w_2^{2\sigma} = 0$$

Note that  $g_{13}$  is convex in  $w_2^{\sigma}$ ,  $g_{13}(\phi_{12}) = \sigma \phi_{13} \Phi > 0$ , and  $g_{13}(\phi_{12}^{-1}) = ((\sigma - 1)\phi_{13} + \phi_{12}\phi_{23})\Phi/\phi_{12}^2 > 0$ . Because the minimum of  $g_{13}$  is reached at  $w_2^{\sigma^*} = (\phi_{12}\phi_{13} - 2\sigma\phi_{12}\phi_{13} + \phi_{23})/(2\phi_{13} - 2\sigma\phi_{13})$ , with  $\phi_{12} - w_2^{\sigma^*} = (\phi_{23} - \phi_{12}\phi_{13})/(2\phi_{13}(\sigma - 1)) \ge 0$ , the quadratic expression  $g_{13}$  remains positive in the interval  $[\phi_{12}, \phi_{12}^{-1}]$ , and the curve  $\Gamma_4$  does not intersect side  $(f_3 = 0)$  along triangle ( $\Delta$ ).

Therefore, we have shown that the curve  $\Gamma_4$  does not intersect any side of triangle ( $\Delta$ ). By a continuity argument,  $g_{10}(w_2^{\sigma}, w_3^{\sigma})$  is positive inside triangle ( $\Delta$ ). Given expression (20), we have  $dw_2/d\phi_{23} = d(w_2/w_1)/d\phi_{23} > 0$ .

Similarly, it can be shown that  $d(w_3/w_1)/d\phi_{23} > 0$ .

## Appendix 5: Proof of Proposition 4

We show the Proposition for (i, j, k) = (1, 2, 3). The other results can be obtained simply by reindexing country numbers.

(i) By differentiating  $\widehat{U}_1^*$  as given by (14) with respect to  $\phi_{23}$ , we get

$$\frac{\mathrm{d}\widehat{U}_{1}^{*}}{\mathrm{d}\phi_{23}} = \frac{\partial\widehat{U}_{1}^{*}}{\partial w_{2}}\frac{\partial w_{2}}{\partial \phi_{23}} + \frac{\partial\widehat{U}_{1}^{*}}{\partial w_{3}}\frac{\partial w_{3}}{\partial \phi_{23}} + \frac{\partial\widehat{U}_{1}^{*}}{\partial \phi_{23}}$$
$$= \frac{(\sigma - 1)L_{1}^{3}w_{2}^{\sigma - 2}w_{3}^{\sigma - 2}f_{2}f_{3}}{\mathrm{det}(E)f_{1}^{4}}g_{14}(w_{2}^{\sigma}, w_{3}^{\sigma})$$

where

$$\begin{split} g_{14}(w_2^{\sigma}, w_3^{\sigma}) &\equiv 2(\sigma - 1)(\phi_{12}\phi_{23} - \phi_{13})(\phi_{12} - \phi_{13}\phi_{23}) \\ + [2\sigma\phi_{12}\phi_{13}^2\phi_{23} - (2\sigma - 1)\phi_{13}^3 - 2(\sigma - 1)\phi_{12}\phi_{23} - \phi_{13}(1 - 2\sigma + \phi_{12}^2 + \phi_{23}^2)]w_2^{\sigma} \\ + [\phi_{12}((2\sigma - 1)(1 - \phi_{12}^2) - \phi_{13}^2) - 2(\sigma - 1 - \sigma\phi_{12}^2)\phi_{13}\phi_{23} - \phi_{12}\phi_{23}^2]w_3^{\sigma} \end{split}$$

In order to show that the linear expression  $g_{14}(w_2^{\sigma}, w_3^{\sigma})$  is signed, we show that the line defined by  $g_{14}(w_2^{\sigma}, w_3^{\sigma}) = 0$  in the plane  $(w_2^{\sigma}, w_3^{\sigma})$  does not intersect triangle ( $\Delta$ ). Given Lemma 2, the evaluation of  $g_{14}$  at the three corners of triangle ( $\Delta$ ) leads to  $g_{14}(\phi_{12}, \phi_{13}) = -2\sigma\phi_{12}\phi_{13}\Phi < 0$ ,  $g_{14}(\phi_{23}\phi_{13}^{-1}, \phi_{13}^{-1}) = -[(2\sigma - 1)\phi_{12} + \phi_{13}\phi_{23}]\Phi/\phi_{13} < 0$ , and  $g_{14}(\phi_{12}^{-1}, \phi_{23}\phi_{12}^{-1}) = -[(2\sigma - 1)\phi_{13} + \phi_{12}\phi_{23}]\Phi/\phi_{12} < 0$ . This means that  $g_{14}(w_2^{\sigma}, w_3^{\sigma})$  is strictly negative inside triangle ( $\Delta$ ). By using Lemma 5, we have that  $d\hat{U}_1^*/d\phi_{23} < 0$ .

(ii) Differentiating  $\widehat{U}_2^*$  as given by (14) with respect to  $\phi_{23}$  leads to

$$\frac{\mathrm{d}\widehat{U}_2^*}{\mathrm{d}\phi_{23}} = \frac{L_1^3 w_2^{\sigma-1} w_3^{\sigma-2} f_3}{\mathrm{det}(E) f_1^4} g_{15}(w_2^{\sigma}, w_3^{\sigma})$$

where

$$\begin{split} g_{15}(w_2^{\sigma}, w_3^{\sigma}) &\equiv \\ 2(\sigma-1)^2 \left(1-\phi_{13}^2\right) (\phi_{12}-\phi_{13}\phi_{23}) (\phi_{23}-\phi_{12}\phi_{13}) w_2^{2\sigma} + (\sigma-1) \left\{\phi_{12}^3 \left(2\sigma-1-2(\sigma-1)\phi_{13}^2\right) + \phi_{12}^2 \left[1-2\phi_{13}^4+\phi_{13}^2+3\phi_{23}^2-2\sigma\left(1-\phi_{13}^2\right) \left(\phi_{13}^2+\phi_{23}^2+1\right)\right] + \phi_{13}\phi_{23} \left[(4\sigma-3)\left(1-\phi_{13}^2\right) + \phi_{23}^2\right] \\ &-3\phi_{12}^2\phi_{13}\phi_{23} \right\} w_2^{\sigma}w_3^{\sigma} - (\sigma-1)(\phi_{13}-\phi_{12}\phi_{23}) \left[2\sigma\left(1-\phi_{12}^2\right) \left(1-\phi_{13}^2\right) + \phi_{12}^2 \left(1-2\phi_{13}^2\right) \right. \\ &-1+\phi_{13}^2-\phi_{23}^2\right] w_3^{2\sigma} + \left\{(\sigma-1)\phi_{12}\phi_{13} \left[4\sigma\left(1-\phi_{13}^2\right) \left(1-\phi_{23}^2\right) - 2\phi_{13}^2\phi_{23}^2 + 3\phi_{13}^2 - \phi_{23}^2 - 3\right] \\ &-(\sigma-1)\phi_{23} \left[4\sigma\left(1-\phi_{13}^2\right) \left(1-\phi_{23}^2\right) + \phi_{13}^4 - 3\phi_{13}^2\phi_{23}^2 + \phi_{13}^2 + 2\phi_{23}^2 - 2\right] + \phi_{12}^3(\phi_{13}-\sigma\phi_{13}) \\ &+(\sigma-1)\phi_{12}^2 \left(\phi_{13}^2+2\right) \phi_{23} \right\} w_2^{\sigma} + \left\{2\sigma^2[\phi_{12}^3 \left(\phi_{12}-3\phi_{13}\phi_{23}\right) + \phi_{12} \left(3\phi_{12}-\phi_{13}\phi_{23}\right) \left(\phi_{13}^2+\phi_{23}^2 - 1\right) \\ &+2\left(1-\phi_{13}^2\right) \left(1-\phi_{23}^2\right)\right] \right\} + \sigma[3\phi_{12}^3\phi_{13}\phi_{23} - \phi_{12}^4 + \phi_{12}^2 \left(6\phi_{13}^2\phi_{23}^2 - 7\phi_{23}^2 - 7\phi_{13}^2 + 5\right) \\ &+\phi_{12}\phi_{13}\phi_{23} \left(-3\phi_{13}^2 - 3\phi_{23}^2 + 7\right) + 2 \left(\phi_{13}^4 - 2\phi_{13}^2\phi_{23}^2 + \phi_{13}^2 + \phi_{23}^2 - 2\right)\right] - \phi_{12}^3\phi_{13}\phi_{23} \\ &+\phi_{12}^2 \left[\phi_{13}^2 \left(3-2\phi_{23}^2\right) + 3\phi_{23}^2 - 1\right] + \phi_{12}\phi_{13}\phi_{23} \left(\phi_{13}^2 + \phi_{23}^2 - 5\right) - \left(\phi_{13}^2 - \phi_{23}^2\right)^2 + 1\right] \right\} w_3^{\sigma} \\ &+ (\sigma-1) \left\{\phi_{13} \left[ (6\sigma-1)\phi_{12}^2\phi_{23}^2 + (2\sigma-1)\phi_{23}^4 + 1 - 2\sigma + \phi_{12}^2 \right] \\ &+2\phi_{12}\phi_{23} \left[ 2\sigma-\sigma\phi_{12}^2 - 2\sigma\phi_{23}^2 + \phi_{23}^2 - 1\right] - 2\sigma\phi_{12}\phi_{13}\phi_{23} \left(\phi_{23}^2 + 2\right) + \phi_{13}^3 \left(2\sigma+\phi_{13}^2 - 1\right) \right\} \end{split}$$

By evaluating expression  $g_{15}(w_2^{\sigma}, w_3^{\sigma})$  at the three corners of triangle ( $\Delta$ ), we obtain  $g_{15}(\phi_{12}, \phi_{13}) = (2\sigma - 1)\phi_{13}\Phi^2 > 0$ ,  $g_{15}(\phi_{23}\phi_{13}^{-1}, \phi_{13}^{-1}) = \sigma(2\sigma - 1)\Phi^2/\phi_{13} > 0$ , and  $g_{15}(\phi_{12}^{-1}, \phi_{23}\phi_{12}^{-1}) = \sigma\phi_{23}\Phi^2/\phi_{12} > 0$ . We want to show that the curve  $\Gamma_5$  defined by  $g_{15}(w_2^{\sigma}, w_3^{\sigma}) = 0$  does not intersect ( $\Delta$ ).

First, by substituting the expression of line  $(f_1 = 0)$  into  $g_{15} = 0$ , we have that line  $(f_1 = 0)$ intersects the curve  $\Gamma_5$  at  $w_2^{\sigma} = (2\sigma - 1 - \phi_{23}^2)/[(2\sigma - 1)\phi_{12} - \phi_{13}\phi_{23}] > 1/\phi_{12}$ , which means that the intersection point is outside ( $\Delta$ ).

Second, by plugging the expression of line  $(f_2 = 0)$  into  $g_{15} = 0$ , we obtain that  $(f_2 = 0)$ intersects the curve  $\Gamma_5$  in  $(w_2^{\sigma}, w_3^{\sigma})$  with  $w_3^{\sigma}$  satisfying the following quadratic equation

$$g_{16}(w_3^{\sigma}) \equiv -(\sigma - 1)\phi_{13}w_3^{2\sigma} + (2\sigma - 1 - \phi_{13}^2)w_3^{\sigma} - (\sigma - 1)\phi_{13} = 0$$

Because the coefficient of  $w_3^{2\sigma}$  is negative, and  $g_{16}(\phi_{13})$  and  $g_{16}(\phi_{13}^{-1})$  are positive, the quadratic expression  $g_{16}(w_3^{\sigma})$  is positive along the side  $(f_2 = 0)$  of  $(\Delta)$ , and the curve  $\Gamma_5$  does not intersect that side of  $(\Delta)$ .

Third, by substituting the expression of line  $(f_3 = 0)$  into  $g_{15} = 0$ , we obtain that  $(f_3 = 0)$ intersects the curve  $\Gamma_5$  in  $(w_2^{\sigma}, w_3^{\sigma})$  with  $w_3^{\sigma}$  satisfying the following quadratic equation

$$g_{17}(w_3^{\sigma}) \equiv -(\sigma - 1)\phi_{12}w_3^{2\sigma} + \left[ (2\sigma - 1)\left(\phi_{23} + \phi_{12}\phi_{13}\right) - 2\sigma^2\phi_{12}\phi_{13} \right]w_3^{\sigma} + (\sigma - 1)\left(2\sigma - 1\right)\phi_{13}\phi_{23} = 0$$

Because the coefficient of  $w_3^{2\sigma}$  is negative, and  $g_{17}(\phi_{13})$  and  $g_{17}(\phi_{23}\phi_{12}^{-1})$  are positive, the quadratic expression  $g_{17}(w_3^{\sigma})$  is positive along the side  $(f_3 = 0)$  of  $(\Delta)$ , and the curve  $\Gamma_5$  does not intersect that side of  $(\Delta)$ .

Hence, the curve  $\Gamma_5$  intersects no side of triangle ( $\Delta$ ) and expression  $g_{15}(w_2^{\sigma}, w_3^{\sigma})$  is positive inside ( $\Delta$ ). By using Lemma 5, we have that  $d\hat{U}_2^*/d\phi_{23} > 0$ .

(iii) A proof similar to (ii) applies, so that  $d\hat{U}_3^*/d\phi_{23} > 0$ .

### References

- Arkolakis, C., A. Costinot, and A. Rodriguez-Clare (2012) New trade models, same old gains?, *American Economic Review* 102, 94-130.
- [2] Bagwell, K. and R. Staiger (2009) Delocation and trade agreements in imperfectly competitive markets, NBER Working Paper, No. 15444.
- [3] Baldwin, R.E., R. Forslid, Ph. Martin, G.I.P. Ottaviano and F. Robert-Nicoud (2003) Economic Geography and Public Policy, Princeton University Press, Princeton.
- [4] Baldwin, R.E. and F. Robert-Nicoud (2000) Free trade agreements without delocation, Canadian Journal of Economics 33, 766-786.

- [5] Behrens, K., A.R. Lamorgese, G.I.P. Ottaviano and T. Tabuchi (2007) Changes in transport and non-transport costs: Local vs global impacts in a spatial network, *Regional Science and Urban Economics* 37, 625-648.
- [6] Davis, D.R. (1998) The home market, trade, and industrial structure, American Economic Review 88, 1264-1276.
- [7] Krugman, P. (1980) Scale economies, product differentiation and the pattern of trade, American Economic Review 70, 950-959.
- [8] Maggi, G. and A. Rodriguez-Clare (1998) The value of trade agreements in the presence of political pressures, *Journal of Political Economy* 106, 574-601.
- [9] Ossa, R. (2011) A 'new trade' theory of GATT/WTO negotiations, Journal of Political Economy 119, 122-152.
- [10] Puga, D. and A.J. Venables (1997) Preferential trading arrangements and industrial location, Journal of International Economics 43, 347-368.
- [11] Venables, A.J. (1987) Trade and trade policy with differentiated products: A Chamberlinian-Ricardian model, *Economic Journal* 97, 700-717.

#### **Recent titles**

#### **CORE Discussion Papers**

- 2011/66. Robin BOADWAY and Pierre PESTIEAU. Indirect taxes for redistribution: Should necessity goods be favored?
- 2011/67. Hylke VANDENBUSSCHE, Francesco DI COMITE, Laura ROVEGNO and Christian VIEGELAHN. Moving up the quality ladder? EU-China trade dynamics in clothing.
- 2011/68. Mathieu LEFEBVRE, Pierre PESTIEAU and Grégory PONTHIERE. Measuring poverty without the mortality paradox.
- 2011/69. Per J. AGRELL and Adel HATAMI-MARBINI. Frontier-based performance analysis models for supply chain management; state of the art and research directions.
- 2011/70. Olivier DEVOLDER. Stochastic first order methods in smooth convex optimization.
- 2011/71. Jens L. HOUGAARD, Juan D. MORENO-TERNERO and Lars P. ØSTERDAL. A unifying framework for the problem of adjudicating conflicting claims.
- 2011/72. Per J. AGRELL and Peter BOGETOFT. Smart-grid investments, regulation and organization.
- 2012/1. Per J. AGRELL and Axel GAUTIER. Rethinking regulatory capture.
- 2012/2. Yu. NESTEROV. Subgradient methods for huge-scale optimization problems.
- 2012/3. Jeroen K. ROMBOUTS, Lars STENTOFT and Francesco VIOLANTE. The value of multivariate model sophistication: An application to pricing Dow Jones Industrial Average options.
- 2012/4. Aitor CALO-BLANCO. Responsibility, freedom, and forgiveness in health care.
- 2012/5. Pierre PESTIEAU and Grégory PONTHIERE. The public economics of increasing longevity.
- 2012/6. Thierry BRECHET and Guy MEUNIER. Are clean technology and environmental quality conflicting policy goals?
- 2012/7. Jens L. HOUGAARD, Juan D. MORENO-TERNERO and Lars P. ØSTERDAL. A new axiomatic approach to the evaluation of population health.
- 2012/8. Kirill BORISSOV, Thierry BRECHET and Stéphane LAMBRECHT. Environmental maintenance in a dynamic model with heterogenous agents.
- 2012/9. Ken-Ichi SHIMOMURA and Jacques-François THISSE. Competition among the big and the small.
- 2012/10. Pierre PESTIEAU and Grégory PONTHIERE. Optimal lifecycle fertility in a Barro-Becker economy.
- 2012/11. Catherine KRIER, Michel MOUCHART and Abderrahim OULHAJ. Neural modelling of ranking data with an application to stated preference data.
- 2012/12. Matthew O. JACKSON and Dunia LOPEZ-PINTADO. Diffusion and contagion in networks with heterogeneous agents and homophily.
- 2012/13. Claude D'ASPREMONT, Rodolphe DOS SANTOS FERREIRA and Jacques THEPOT. Hawks and doves in segmented markets: A formal approach to competitive aggressiveness.
- 2012/14. Claude D'ASPREMONT and Rodolphe DOS SANTOS FERREIRA. Household behavior and individual autonomy: An extended Lindahl mechanism.
- 2012/15. Dirk VAN DE GAER, Joost VANDENBOSSCHE and José Luis FIGUEROA. Children's health opportunities and project evaluation: Mexico's *Oportunidades* program.
- 2012/16. Giacomo VALLETTA. Health, fairness and taxation.
- 2012/17. Chiara CANTA and Pierre PESTIEAU. Long term care insurance and family norms.
- 2012/18. David DE LA CROIX and Fabio MARIANI. From polygyny to serial monogamy: a unified theory of marriage institutions.
- 2012/19. Carl GAIGNE, Stéphane RIOU and Jacques-François THISSE. Are compact cities environmentally friendly?
- 2012/20. Jean-François CARPANTIER and Besik SAMKHARADZE. The asymmetric commodity inventory effect on the optimal hedge ratio.
- 2012/21. Concetta MENDOLICCHIO, Dimitri PAOLINI and Tito PIETRA. Asymmetric information and overeducation.
- 2012/22. Tom TRUYTS. Stochastic signaling: Information substitutes and complements.

#### **Recent titles**

#### **CORE Discussion Papers - continued**

- 2012/23. Pierre DEHEZ and Samuel FEREY. How to share joint liability: A cooperative game approach.
- 2012/24. Pilar GARCIA-GOMEZ, Erik SCHOKKAERT, Tom VAN OURTI and Teresa BAGO D'UVA. Inequity in the face of death.
- 2012/25. Christian HAEDO and Michel MOUCHART. A stochastic independence approach for different measures of concentration and specialization.
- 2012/26. Xavier RAMOS and Dirk VAN DE GAER. Empirical approaches to inequality of opportunity: principles, measures, and evidence.
- 2012/27. Jacques H. DRÈZE and Erik SCHOKKAERT. Arrow's theorem of the deductible : moral hazard and stop-loss in health insurance.
- 2012/28 Luc BAUWENS and Giuseppe STORTI. Computationally efficient inference procedures for vast dimensional realized covariance models.
- 2012/29. Pierre DEHEZ. Incomplete-markets economies: The seminar work of Diamond, Drèze and Radner.
- 2012/30 Helmuth CREMER, Pierre PESTIEAU and Grégory PONTHIÈRE. The economics of longterm care: a survey.
- 2012/31 Mathieu VAN VÝVE, Laurence A. WOLSEY and Hande YAMAN. Relaxations for two-level multi-item lot-sizing problem.
- 2012/32 Jean-François MERTENS and Anna RUBINCHIK. Equilibria in an overlapping generations model with transfer policies and exogenous growth.
- 2012/33 Jean-François MERTENS and Anna RUBINCHIK. Pareto optimality of the golden rule equilibrium in an overlapping generations model with production and transfers.
- 2012/34 Hélène LATZER and Florian MAYNERIS. Income distribution and vertical comparative advantage. Theory and evidence.
- 2012/35 Pascal MOSSAY and Takatoshi TABUCHI. Preferential trade agreements harm third countries.

#### Books

- G. DURANTON, Ph. MARTIN, Th. MAYER and F. MAYNERIS (2010), *The economics of clusters Lessons from the French experience*. Oxford University Press.
- J. HINDRIKS and I. VAN DE CLOOT (2011), Notre pension en heritage. Itinera Institute.
- M. FLEURBAEY and F. MANIQUET (2011), *A theory of fairness and social welfare*. Cambridge University Press.
- V. GINSBURGH and S. WEBER (2011), *How many languages make sense? The economics of linguistic diversity*. Princeton University Press.
- I. THOMAS, D. VANNESTE and X. QUERRIAU (2011), Atlas de Belgique Tome 4 Habitat. Academia Press.

W. GAERTNER and E. SCHOKKAERT (2012), Empirical social choice. Cambridge University Press.

- L. BAUWENS, Ch. HAFNER and S. LAURENT (2012), Handbook of volatility models and their applications. Wiley.
- J-C. PRAGER and J. THISSE (2012), Economic geography and the unequal development of regions. Routledge.
- M. FLEURBAEY and F. MANIQUET (2012), Equality of opportunity: the economics of responsibility. World Scientific.
- J. HINDRIKS (2012), Gestion publique. De Boeck.

#### **CORE Lecture Series**

- R. AMIR (2002), Supermodularity and complementarity in economics.
- R. WEISMANTEL (2006), Lectures on mixed nonlinear programming.
- A. SHAPIRO (2010), Stochastic programming: modeling and theory.