# LIFE-CARE TONTINES

Hieber, P. and N. Lucas

# DISCUSSION PAPER | 2020/26





# LIFE-CARE TONTINES

## PETER HIEBER\*,+, NATHALIE LUCAS\*

ABSTRACT. This paper builds on the advantage of pooling mortality and morbidity risks, and their inherent natural hedge. We focus on classical mutual risk pooling schemes, i.e. tontines, and introduce a "life-care tontine", which in addition to retirement income targets the needs of long-term care coverage for an ageing population. This scheme reduces adverse selection costs and is actuarially fair at each time. Pooling heterogeneous risks (i.e. different age groups) is shown to reduce overall risk. The life-care tontine is compared to a classical life-care annuity. Technically, we rely on a backward iteration to deduce the smoothed cashflows pattern and the separation of cash-flows in a fixed withdrawal and mortality and/or morbidity credits. We apply our model to real life data, illustrating the adequacy of the proposed tontine scheme.

**Keywords:** mutual insurance, long-term care, morbidity and mortality risk, tontines, pooled annuities, life-care insurance.

#### 1. INTRODUCTION

Long-term care (LTC) costs have shown a significant increase over the recent decades. In the US, data by the National Health Expenditures Account (NHEA) show that expenditures in the Medicaire program, aiming to support US residents with low income in long-term care, raised from \$225 billion in 2000 (2.2% of the gross domestic product (GDP)) to \$750 billion in 2018 (3.6% of GDP). Also governmental spending in home

Date: September 7, 2020.

<sup>\*</sup> Institute of Statistics, Biostatistics and Actuarial Sciences (ISBA/LIDAM), UC Louvain,

<sup>20</sup> Voie du Roman Pays, 1348 Louvain-la-Neuve, Belgium,

 $E-Mail: \ n.lucas@uclouvain.be.$ 

<sup>&</sup>lt;sup>+</sup> Institute of Insurance Science, University of Ulm,

Helmholtzstr. 20, 89069 Ulm, Germany.

E–Mail: peter.hieber@uni-ulm.de.

The authors gratefully acknowledge the extremely valuable scientific discussions with Michel Denuit (UC Louvain).

health care raised from \$32 billion in 2000 to \$102 billion in 2018. A similar observation is made in Europe, for instance in Belgium, where LTC spending (in terms of GDP) increased from 1.7% in 2000 to 2.3% in 2018 (source: Eurostat).

The increasing trend of LTC costs is projected to continue in the future (Shi & Zhang (2013)). According to United Nations projections, the number of elderly people, i.e. older than 65, is projected to triple from 2020 to 2080 to reach 2.2 billion. The global share of the elderly population is expected to rise from 9.4% in 2020 to 20.6% in 2080, while the demand for long-term care services in the years to come is expected to further increase.

Specific insurance products are dealing with LTC risk, notably the classical LTC cover, which provides benefits in case of dependency, and the enhanced pension or life-care annuity. The latter combines regular payments of a life annuity with LTC insurance (see for example, Denuit, Lucas & Pitacco (2019) for more details). In terms of risk management, the pooling of competing risks, i.e. longevity and morbidity, is quite advantageous as the two risks act in opposite directions (Murtaugh et al. (2001)). When moving into dependency, individuals receive higher benefits, but also suffer from a decrease in their life expectancy, creating a natural hedge. The key advantages of the life-care annuity relative to the stand-alone products life annuity and classical LTC cover are its potential to decrease the costs and to make coverage available to more potential purchasers (Spillman et al. (2003)). One reason for this is a reduction in adverse selection. In a life annuity, individuals with low longevity expectations are less likely to buy annuities, forcing insurance providers to increase their premiums accordingly. Indeed, it has been estimated that around 10% of the cost of life annuity premiums is due to adverse selection (Friedman & Warshawsky (1990)). On the other hand, classical LTC covers are not available to everyone as underwriting mostly rejects people in bad health. Combining both products makes insurance affordable for people in a poor health state for whom it is currently unattractive to buy a life annuity and unaffordable to buy a classical LTC cover. A life-care annuity allows the inclusion of this currently rejected population, which lowers the cost for all and reduces adverse selection (Brown & Warshawsky (2013)).

However, estimating the risks of a classical LTC cover or a life-care annuity is a challenging task for the insurance provider, resulting typically in high risk and administration charges. This might explain why the volume of the private market for LTC insurance is still relatively small. Indeed, when looking at the written gross premiums for long-term care insurance (LTCI), it is clear that the private LTC insurance market is limited in most OECD countries, although the need for a market is clearly strong (OECD (2020)). In this article, we build on the advantage of pooling mortality and morbidity risk. However, differently from the previously cited articles, we focus on mutual insurance, i.e. the risks are not taken by an insurance provider but shared within a pool of individuals. This significantly reduces charges but also leaves the risks to the pool members. A mutual insurance product would not guarantee a precise level of retirement income. On top of the investment returns from funded assets, survivors receive a higher payout funded by the "mortality credits" of deceased members. Classical mutual mortality risk pooling schemes are tontines (see, e.g., Sabin (2010), Forman & Sabin (2015), Milevsky & Salisbury (2015), Forman & Sabin (2016), Fullmer & Sabin (2018), Li & Rothschild (2019), Chen, Hieber & Rach (2020)) and pooled annuities (see, e.g., Piggott et al. (2005), Valdez et al. (2006), Stamos (2008), Qiao & Sherris (2013), Donnelly, Guillén & Nielsen (2013), Donnelly, Guillén & Nielsen (2014)). Instead of purely investing in a mutual insurance scheme, it might make sense to combine traditional retirement products and mutual insurance (see, e.g., Weinert & Gründl (2017), Chen, Hieber & Klein (2019), Chen, Rach & Sehner (2020)). We introduce a "life-care tontine", which in addition to retirement income targets the needs of LTC coverage for an ageing population. The risk groups of a life-care tontine are not fixed but dynamic: people moving to dependency are assigned higher death probabilities, allowing them to get a bigger share in future mortality credits redistributed among the survivors of the tontine pool. To make the product attractive for subscribers with different risk, we suggest a fairness condition that ensures that the payments are actuarially fair in each payment period (see also Donnelly, Guillén & Nielsen (2013), Donnelly, Guillén & Nielsen (2014)). In other words, the life-care tontine stays fully funded at all times with each individual investment balance reflecting actual market values. We also allow to pool individuals from different age cohorts (see also Donnelly, Guillén & Nielsen (2014), Milevsky & Salisbury (2016), Denuit (2019)). Such a product design has many advantages. (1) Compared to a life-care annuity, a life-care tontine has significantly lower solvency capital requirement (see also Shao et al. (2015), Chen, Hieber & Klein (2019)), inducing lower costs. (2) Compared to a classical tontine or pooled annuity, a life-care tontine is also attractive for people in poor health, reducing adverse selection costs. Further, according to Valdez et al. (2006), mutual insurance like a pooled annuity fund shows lower adverse selection relative to standard life annuities. (3) Being actuarially fair in each payment period, the life-care tontine avoids the disadvantage of a closed tontine pool (see, for example, the discussion in Chen, Hieber & Klein (2019)). The design allows to keep the pool size at a constant high level, replacing deceased individuals by new members. The sharing within the tontine pool is carried out by the concept of mortality and morbidity credits. (4) Pooling heterogeneous risks, i.e. different age-cohorts or active/dependent states, allows to increase tontine pool sizes and thus to reduce the overall risk. In our tontine scheme, individuals might change their risk classification, i.e. by moving from an "active" to a "dependent" state.

In Section 2, we introduce a 2-state alive/dead framework through a fair tontine scheme allowing members to freely join the pool. This framework enables to pool heterogeneous cohorts, like in Donnelly, Guillén & Nielsen (2014), Milevsky & Salisbury (2016) and Denuit (2019). Section 3 extends this to a 3-state framework, with a dependent state getting a specific (higher) payoff. The classical life-care annuity is compared with our life-care tontine. The fairness of the product is demonstrated and the payoffs are smoothed over time to fit the actual needs. Sections 4 and 5 conclude and make additional remarks.

### 2. 2-STATE FRAMEWORK

In a first step, we consider a 2-state framework where individuals have two possible states "alive" or "dead". Let us introduce the set of all individuals at initiation by  $\mathcal{L}_0 = \{1, 2, ..., n\}$ . Time is discretized in periods t = 0, 1, 2, ... Assume that individual  $j \in \mathcal{L}_0$ , aged  $x_j$  with a remaining lifetime  $T_j$ , contributes a single premium  $c_j(0)$  at time 0. In this article, we focus on mortality risk. Financial assets are invested in a riskfree bank account with a time-dependent, deterministic, risk-free rate  $\delta_s, s \geq 0$ . The maximal age is denoted by  $\omega$ . For now, the remaining lifetimes  $T_j, j \in \mathcal{L}_0$ , are assumed to be independent.

2.A. Tontine payoff. The *n* individuals form a tontine pool. Given the total initial premium payment, they decide on a withdrawal plan for the pool, that is for t = 0, 1, 2, ...,they (together) withdraw the amount  $W_j(t)$  in a way that the premium equivalence

$$\sum_{\substack{j=1\\\text{total contributions}}}^{n} c_j(0) = \sum_{j=1}^{n} \sum_{\substack{t=1\\\text{discounted benefits individual } j}}^{\omega-x_j} e^{-\int_0^t \delta_s \mathrm{d}s} W_j(t) \tag{1}$$

holds. The account value left according to the agreed decumulation plan for individual j at time t = 0, 1, 2... is denoted  $c_j(t)$ . Equation (1) shows the main property of a tontine: the *sum* of all payoffs to the pool is deterministic, leaving no risk for the insurance provider. The payoff to a single individual  $W_j(t)$ , however, is random and may depend on the mortality experience in the pool. In the remainder of this section, we will demonstrate that (1) holds also at later points in time, that is the tontine scheme is fully funded at all times and satisfies:

$$\sum_{\substack{j=1\\j=1\\\text{total account values}}}^{n} c_j(t) = \sum_{j=1}^{n} \sum_{\substack{s=t+1\\discounted future benefits individual j}}^{\omega-x_j} e^{-\int_t^s \delta_u du} W_j(s)$$
(2)

We proceed by iteration to obtain  $\mathcal{L}_t = \{j \in \mathcal{L}_0 \mid T_j > t\}$ , the subset of participants still alive at time t. Let us define  $\mathcal{D}_t = \{j \in \mathcal{L}_0 \mid t-1 < T_j \leq t\} = \mathcal{L}_{t-1} - \mathcal{L}_t$ , the subset of participants dying in (t-1,t]. We denote by  $tp_{x_j} = \mathbb{E}[\mathbb{1}_{T_j > t}] = \mathbb{E}[\mathbb{1}_{j \in \mathcal{L}_t}]$  the probability for individual j to survive t years and set  $tq_{x_j} := 1 - tp_{x_j}$ . For annual survival and death probabilities, we abbreviate  $p_{x_j} := tp_{x_j}$  and  $q_{x_j} := tq_{x_j}$ . For  $t = 1, 2, \ldots, \omega - x_j$ , we obtain  $\mathbb{1}_{j \in \mathcal{L}_t} \sim \operatorname{Ber}(tp_{x_j})$  and  $\mathbb{1}_{j \in \mathcal{D}_t} \mid \{j \in \mathcal{L}_{t-1}\} \sim \operatorname{Ber}(q_{x_j+t-1})$ . Note that our assumption of a maximal age  $\omega$  implies that individuals never reach age  $\omega + 1$ , that is  $q_\omega = 1$ .

Let us now look at an individual  $j \in \mathcal{L}_{t-1}$  and a single time period (t-1,t]. During the time period (t-1,t], the individual j's account value accrues to an amount of  $e^{\int_{t-1}^{t} \delta_s ds} c_j(t-1)$ . In case of death in (t-1,t], this account value is lost and distributed to the pool of individuals. Otherwise, the individual receives a payment at time t. This payment is decomposed into a fixed withdrawal  $s_j(t)$  and mortality credits from deceased pool members. Each individual's account value is iteratively determined via

$$c_j(t) = \begin{cases} e^{\int_{t-1}^t \delta_s \mathrm{d}s} c_j(t-1) - s_j(t), & j \in \mathcal{L}_t \\ 0, & \text{otherwise} \end{cases}$$
(3)

in a way that the account value is depleted at the maximal age  $\omega$ , that is  $c_j(\omega - x_j) = 0$ . With this, we can solve (3) to get, for individual  $j \in \mathcal{L}_t$  at time t:

$$c_j(t) = \sum_{u=t+1}^{\omega - x_j} e^{-\int_t^u \delta_s \mathrm{d}s} s_j(u) \,. \tag{4}$$

To define the variable part of the payoff (the mortality credits), formally, denote as

$$X_j(t) := \mathbb{1}_{j \in \mathcal{D}_t} \cdot e^{\int_{t-1}^t \delta_s \mathrm{d}s} c_j(t-1)$$

the random variable that is 0 in the case where the individual is alive at time t and equal to the accrued account value  $e^{\int_{t-1}^{t} \delta_s ds} c_j(t-1)$  in case of death in (t-1,t]. At each time  $t = 1, 2, \ldots$ , we have to distribute the pool's total mortality credit

$$X(t) := \sum_{j \in \mathcal{L}_{t-1}} X_j(t) = \sum_{j \in \mathcal{D}_t} e^{\int_{t-1}^t \delta_s \mathrm{d}s} c_j(t-1)$$

among the individuals  $j \in \mathcal{L}_{t-1}$  according to some predefined rule. We define properties of a fair distribution rule  $\beta_i(X(t))$  later in this section.

The annual payoff to individual j is denoted by  $W_j(t)$  (see above). At time t and for an individual  $j \in \mathcal{L}_{t-1}$ , it is given by:

$$W_{j}(t) = \begin{cases} s_{j}(t) + \beta_{j}(X(t)), & \text{if } j \in \mathcal{L}_{t} \\ \beta_{j}(X(t)), & \text{if } j \in \mathcal{D}_{t} \end{cases}$$
(5)

decomposed of

 $-s_j(t)$ : individual, fixed withdrawal amount,

 $-\beta_j(X(t))$ : collective part of the benefits, i.e. the mortality credits.

Note that the fixed withdrawal amount  $s_j(t)$  is received only if the individual survives until time t. The individual always receives the mortality credit  $\beta_j(X(t))$  – either to increase the fixed payoff (if  $j \in \mathcal{L}_t$ ) or as a death benefit (if  $j \in \mathcal{D}_t$ ). With (1), (4) and (5), it is possible to show that the scheme remains fully funded, i.e. the sum of individual account values at each time t is equal to the sum of discounted future benefits, see (2). In Definition 2.1, we define properties of a fair distribution rule  $\beta_j(X(t))$ , see also, for example, Denuit (2019). At the end of this section, we demonstrate how these properties lead to an actuarially fair tontine product.

**Definition 2.1** (Fair distribution rule: mortality credits). If the share distributed to individual  $j \in \mathcal{L}_{t-1}$  is denoted by  $\beta_j(X(t))$ , a fair distribution rule has to satisfy the following properties:

- Self-sufficiency property:  $\sum_{j \in \mathcal{L}_{t-1}} \beta_j (X(t)) = X(t).$
- Positivity property:  $\beta_i(X(t)) \ge 0.$
- Fairness property:

$$\mathbb{E}_{t-1}\left[\beta_j(X(t))\right] = \underbrace{\mathbb{E}_{t-1}\left[\mathbb{1}_{j\in\mathcal{D}_t}\right]}_{\text{probability to die in }(t-1,t]} \cdot \underbrace{e^{\int_{t-1}^t \delta_s \mathrm{d}s} c_j(t-1)}_{\text{amount at risk at time }t}, \quad (6)$$

where  $\mathbb{E}_t := \mathbb{E}[\cdot | \mathcal{F}_t]$  is an expectation conditional on the information  $\mathcal{F}_t := \sigma(\mathcal{L}_t)$ .

In the 2-state framework, we have that  $\mathbb{E}_{t-1}[\mathbb{1}_{j\in\mathcal{D}_t}] = q_{x_j+t-1}$ , the probability that an individual is going to die in the time interval (t-1,t]. Fairness implies that on average he receives the same payoff whether he joins the tontine pool or not. In the first case, he receives  $\beta_j(X(t))$ , in the latter case  $X_j(t)$ , resulting in the fairness condition  $\mathbb{E}_{t-1}[X_j(t)] = \mathbb{E}_{t-1}[\beta_j(X(t))]$ , see (6). Thus, to be fair, on average, any individual  $j \in \mathcal{L}_{t-1}$  receives the amount (6), which is on average proportional to both the death probability and the account value. Three examples of a fair distribution rule are presented in Examples 2.2–2.4, see also, e.g., Denuit & Robert (2020).

**Example 2.2** (Conditional mean risk sharing rule). At time t, each individual  $j \in \mathcal{L}_{t-1}$  receives the mortality credit (respectively death benefit):

$$\beta_j(X(t)) = \mathbb{E}_{t-1}[X_j(t) | X(t)].$$
(7)

(see, e.g., Denuit & Dhaene (2012), Denuit (2019))

**Example 2.3** (Linear risk sharing rule). At time t, each individual  $j \in \mathcal{L}_{t-1}$  receives the mortality credit (respectively death benefit):

$$\beta_j (X(t)) = \frac{q_{x_j+t-1} \cdot c_j(t-1)}{\sum_{j \in \mathcal{L}_{t-1}} q_{x_j+t-1} \cdot c_j(t-1)} \cdot X(t) \,. \tag{8}$$

(see, e.g., Donnelly, Guillén & Nielsen (2013), Donnelly, Guillén & Nielsen (2014) and Schumacher (2018))

**Example 2.4** (Linear regression rule). At time t, each individual  $j \in \mathcal{L}_{t-1}$  receives the mortality credit (respectively death benefit):

$$\beta_j (X(t)) = \mathbb{E}_{t-1} [X_j(t)] + \frac{\operatorname{Cov}_{t-1} [X_j(t), X(t)]}{\operatorname{Var}_{t-1} [X(t)]} (X(t) - \mathbb{E}_{t-1} [X(t)]).$$
(9)

For a motivation and comparison between the 3 distribution rules, we refer the interested reader to Denuit & Robert (2020).

The withdrawal plan (5) needs to be defined, i.e. one needs to know how to distribute the fixed withdrawals  $s_j(t)$  over time. The only requirements we have are the premium equivalence (1) and the fairness of the distribution rule in Definition 2.1. Keeping this as general as possible, we assume that individual j pays the premium  $c_j(0)$  to receive an *average* payoff of  $b_j(t)$ , for  $t = 1, 2, ..., \omega - x_j$ . The individual might, for example, ask for an (on average) constant payoff  $b_j(t) \equiv b_j = \mathbb{E}_{t-1}[W_j(t) | j \in \mathcal{L}_t]$  (see also Remark 2.5 for a discussion on the choice of  $b_j(t)$ ).

**Remark 2.5** (Choice of  $b_j(t)$  and adverse selection). Note that the individual payoffs  $b_j(t)$  allow for a lot of flexibility in the tontine designs as the payoff is specific to each individual. If each individual may freely choose the average payoff  $b_j(t)$ , one should pay special care to adverse selection. For example depending on their personal health state, people will be incited to ask for a different payoff. In order to avoid adverse selection, it makes sense to choose  $b_j(t) \equiv b(t)$  equal for everybody in the pool.

There might be reasons to choose this payoff to be increasing with time due to a higher liquidity need at old ages (see, e.g., Weinert & Gründl (2017)) or the fact that individuals are risk-averse with respect to mortality risk (see, e.g., Milevsky & Salisbury (2015), Chen, Hieber & Rach (2020)). An individual with logarithmic preferences optimally chooses a constant payoff  $b_j(t) \equiv b(t)$ . To determine the fixed withdrawals over time, let us have a closer look at the expected payoff of a survivor  $j \in \mathcal{L}_t$ :

$$\mathbb{E}_{t-1}[W_j(t) \mid j \in \mathcal{L}_t] = \mathbb{E}_{t-1}\left[\mathbb{1}_{j \in \mathcal{L}_t} \cdot s_j(t) + \mathbb{1}_{j \in \mathcal{L}_{t-1}} \cdot \beta_j(X(t)) \mid j \in \mathcal{L}_t\right]$$
$$= s_j(t) + \mathbb{E}_{t-1}\left[\beta_j(X(t))\right]$$
$$= s_j(t) + q_{x_j+t-1}e^{\int_{t-1}^t \delta_s \mathrm{d}s}c_j(t-1).$$
(10)

Therefore, if survivors want to receive on average a payoff  $b_j(t)$  at time t, ones needs to set

$$s_j(t) + q_{x_j+t-1} e^{\int_{t-1}^t \delta_s \mathrm{d}s} c_j(t-1) = b_j(t) \,. \tag{11}$$

As the maximal age is  $\omega$ , we can, for each individual j, iteratively solve the set of equations (11) backwards in time to obtain:

$$s_{j}(t) = \begin{cases} \frac{b_{j}(t)}{1+q_{\omega-1}}, & \text{for } t = \omega - x_{j} \\ \frac{b_{j}(t) - q_{x_{j}+t-1} \sum_{u=t+1}^{\omega - x_{j}} e^{-\int_{t}^{u} \delta_{s} ds} s_{j}(u)}{1+q_{x_{j}+t-1}}, & \text{for } t = \omega - x_{j} - 1, \omega - x_{j} - 2, \dots, 1 \end{cases}$$
(12)

The big advantage of the decomposition into a fixed and a variable payoff by the backwards iteration (12) is the fact that it depends on quantities related to individual j only and is independent of the other individuals in the pool. For a constant average payoff  $b_j(t) \equiv b_j$ , one typically obtains mortality credits that are increasing over time while the fixed payoff  $s_j(t)$  is decreasing over time (see the numerical example in Section 2.C).

2.B. Actuarial fairness. Equations (5) and (12), together with one of the sharing rules from Examples 2.2-2.4, fully define the payoff of a tontine in a 2-state framework. The first advantage of this scheme is that it allows to pool policyholders with different mortality risks, for example from different age cohorts. The second advantage is that it is actuarially fair in each period: at each time t, the expected discounted future payoffs to any individual j equal this individual's current account value  $c_j(t)$ , see Theorem 2.6.

**Theorem 2.6** (Actuarial fairness 2-state framework). The fairness condition (6) implies that the current account value (3) is actuarially fair at each time  $t = 0, 1, ..., \omega - x_j$ , that is:

$$c_j(t) = \mathbb{E}_t \left[ \sum_{k=t+1}^{\omega - x_j} e^{-\int_t^k \delta_s \mathrm{d}s} W_j(k) \right].$$
(13)

The conditional mean risk-sharing rule (7), the linear sharing rule (8) and the linear regression rule (9) satisfy the fairness condition (6).

**Proof:** At time  $t = \omega - x_j$ , individual j reaches the maximum possible age. The last year of life the individual only receives death benefits, and with (4) we get  $c_j(\omega - x_j) = 0$ . It implies that  $c_j(\omega - x_j - 1) = e^{-\int_{\omega - x_j - 1}^{\omega - x_j} \delta_s ds} s_j(\omega - x_j)$ . We prove (13) by backwards induction. Assume that (13) holds for t. Using (3), (5) and

(6), we find for an individual  $j \in \mathcal{L}_{t-1}$  that:

$$\begin{split} \mathbb{E}_{t-1} \left[ \sum_{k=t}^{\omega-x_j} e^{-\int_{t-1}^k \delta_s \mathrm{d}s} W_j(k) \right] \\ &= e^{-\int_{t-1}^t \delta_s \mathrm{d}s} \Big( \mathbb{E}_{t-1} \big[ W_j(t) + \mathbb{1}_{j \in \mathcal{L}_t} \cdot c_j(t) \big] \Big) \\ &= e^{-\int_{t-1}^t \delta_s \mathrm{d}s} \Big( \mathbb{E}_{t-1} \big[ \mathbb{1}_{j \in \mathcal{L}_t} \cdot s_j(t) + \beta_j \big( X(t) \big) \big] + p_{x_j+t-1} \cdot c_j(t) \Big) \\ &= e^{-\int_{t-1}^t \delta_s \mathrm{d}s} \Big( p_{x_j+t-1} \cdot s_j(t) + \mathbb{E}_{t-1} \big[ \beta_j \big( X(t) \big) \big] + p_{x_j+t-1} \cdot c_j(t) \Big) \\ &= e^{-\int_{t-1}^t \delta_s \mathrm{d}s} \Big( p_{x_j+t-1} \cdot s_j(t) + q_{x_j+t-1} \cdot e^{\int_{t-1}^t \delta_s \mathrm{d}s} c_j(t-1) + p_{x_j+t-1} \cdot c_j(t) \Big) \\ &= c_j(t-1) \,. \end{split}$$

This shows that (13) also holds for t - 1.

Condition (6) is satisfied for the conditional mean risk-sharing rule as for each individual  $j \in \mathcal{L}_{t-1}$ :

$$\mathbb{E}_{t-1}\left[\beta_j(X(t))\right] = \mathbb{E}_{t-1}\left[\mathbb{E}_{t-1}\left[X_j(t) \mid X(t)\right]\right]$$
$$= \mathbb{E}_{t-1}[X_j(t)] = q_{x_j+t-1} \cdot e^{\int_{t-1}^t \delta_s \mathrm{d}s} c_j(t-1),$$

as well as for the linear risk-sharing rule as:

$$\mathbb{E}_{t-1} \Big[ \beta_j \big( X(t) \big) \Big] = \mathbb{E}_{t-1} \left[ \frac{q_{x_j+t-1} \cdot c_j(t-1)}{\sum_{j=1}^n \mathbb{1}_{j \in \mathcal{L}_{t-1}} \cdot q_{x_j+t-1} \cdot c_j(t-1)} X(t) \right]$$
$$= \frac{q_{x_j+t-1} \cdot c_j(t-1)}{\sum_{j \in \mathcal{L}_{t-1}} q_{x_j+t-1} \cdot c_j(t-1)} \cdot \mathbb{E}_{t-1} \big[ X(t) \big]$$
$$= q_{x_j+t-1} \cdot e^{\int_{t-1}^t \delta_s \mathrm{d}s} c_j(t-1) \,,$$

and the linear regression rule:

$$\mathbb{E}_{t-1} \Big[ \beta_j \big( X(t) \big) \Big] = \mathbb{E}_{t-1} \left[ \mathbb{E}_{t-1} \big[ X_j(t) \big] + \frac{\operatorname{Cov}_{t-1} [X_j(t), X(t)]}{\operatorname{Var}_{t-1} [X(t)]} \big( X(t) - \mathbb{E}_{t-1} \big[ X(t) \big] \right] \\ = \mathbb{E}_{t-1} \big[ X_j(t) \big] = q_{x_j+t-1} \cdot e^{\int_{t-1}^t \delta_s \mathrm{d}s} c_j(t-1) \,.$$

Theorem 2.6 demonstrates that our tontine scheme allows to share mortality risk between heterogeneous individuals (i.e. individuals with different life expectancies), see also Donnelly, Guillén & Nielsen (2014), Milevsky & Salisbury (2015), Denuit (2019). The fact that the scheme is fair at each time point t gives a second advantage: the design allows individuals to later join the tontine scheme at an actuarially fair price. By design, joining the scheme does not affect the average benefits of the existing members. In contrast, in a closed tontine scheme, the number of pool members is decreasing over time, leading to an increase in risk at old ages (see, e.g., Chen, Hieber & Klein (2019)).

2.C. Numerical example 1. Let us illustrate our payoff in a numerical example, considering a pool of size  $n = 10\,000$  where half of the pool has initial age 65 and half of the pool has initial age 85. For illustrative purposes, we choose the interest rate as  $\delta_j = 0$  and an average payoff of  $b_j(t) \equiv b_j = 1$  for both cohorts. The data correspond to values in line with observations made on the French LTC market. We apply the backward iteration (12) to obtain the fixed part of the payoff  $s_j(t)$  and use (4) to get the account value  $c_j(t)$  for  $t = 1, 2, \ldots, \omega - x_j$ . Figure 1 gives the total payoff  $W_j(t)$ and the fixed part of the payoff  $s_j(t)$  for an individual from the 65-year cohort (left)



FIGURE 1. Evolution of fixed withdrawal  $s_j(t)$  and total payoff  $W_j(t)$  (one simulation path), young (left) and old cohort (right). We use the conditional mean risk sharing rule for this illustrative example.

and the 85-year cohort (right). For the payoff  $W_j(t)$ , we plot one random path. We observe that mortality credits are increasing over time and are higher for the 85-year cohort. Figure 2 shows the individual account value  $c_j(t)$  for both cohorts. According to Theorem 2.6, this account value is equal to the expected discounted value of future payoffs for individual j.



FIGURE 2. Evolution of the personal account  $c_i(t)$  with time, young (left) and old cohort (right).

#### 3. 3-STATE FRAMEWORK

In a second step, we consider a 3-state semi-Markov model where any individual is either active (a), dependent (i) or dead (d). Initially, each individual is assumed to be in state active. In Section 3.A, we introduce additional notation for the 3-state model. We discuss the payoff of a life-care annuity in Section 3.B before introducing our life-care tontine product in Section 3.C.

# 3.A. Additional notation. For an $x_j$ -year old individual, let us define:

- (a)  $_t p_{x_j}^{aa}$ : the *t*-period sojourn probability in active state.
- (b)  $_t p_{x_j}^{ai}$ : the *t*-period transition probability from state *a* to *i*.
- (c)  $_1p_{x_j}^{ad} = q_{x_j}^{(a)}$  and  $_1p_{x_j;z}^{id} = q_{x_j;z}^{(i)}$ : the annual death probabilities in state *a* and *i*, respectively. It is semi-Markovian in the latter case, with z = 0, 1, 2... the time already spent in dependency.

The individual's remaining lifetime  $T_j$  is decomposed into:

$$T_j = T_j^{(a)} + T_j^{(i)}, (14)$$

where  $T_j^{(a)}$  is the time spent in autonomy and  $T_j^{(i)}$  is the time spent in dependence or disability. We have:

$$P(T_j^{(i)} = 0) > 0. (15)$$

Let us define the number of individuals in the active and dependent state, respectively, at a future time t:

$$\mathcal{A}_t := \left\{ j \in \mathcal{L}_t \, \big| \, T_j^{(a)} > t \right\},\tag{16}$$

$$\mathcal{I}_{t;z} := \left\{ j \in \mathcal{L}_t \, \big| \, T_j^{(a)} \le t, T_j > t, z = t - T_j^{(a)} \right\},\tag{17}$$

$$\mathcal{I}_t := \bigcup_{z=0}^{t-1} \mathcal{I}_{t;z} = \left\{ j \in \mathcal{L}_t \mid T_j^{(a)} \le t, T_j > t \right\} = \mathcal{L}_t \setminus \mathcal{A}_t \,. \tag{18}$$

Relating this to the notation above, this means that  $_t p_{x_j}^{aa} = \mathbb{E}[\mathbb{1}_{j \in \mathcal{A}_t}], _t p_{x_j}^{ai} = \mathbb{E}[\mathbb{1}_{j \in \mathcal{I}_t}], q_{x_j+t-1}^{(a)} = \mathbb{E}[\mathbb{1}_{j \in \mathcal{D}_t \cup \mathcal{I}_{t-1};z-1}], \text{ and } p_{x_j+t-1}^{ii} = \mathbb{E}[\mathbb{1}_{j \in \mathcal{L}_t \cup \mathcal{I}_{t-1};z-1}].$ 

3.B. Life-care annuity. In this section, we introduce life-care annuities and base ourselves on the works of, for example, Murtaugh et al. (2001), Spillman et al. (2003), Rickayzen (2007), Brown & Warshawsky (2013), Shao et al. (2015) and Chen et al. (2020). In contrast to the mutual insurance scheme discussed in this article, in a lifecare annuity, mortality and morbidity risks are taken by an insurance provider. Each individual j pays the single premium  $c_j(0)$  to buy an annuity with a future payment stream of  $b_j(t), t = 1, 2, ..., \omega - x_j$ .

This annuity is supplemented with an LTC cover that provides an annual amount of  $(\alpha_j - 1) \cdot b_j(t)$  as long as people are dependent.  $\alpha_j > 1$  is an individual-specific constant reflecting an increased payoff in dependency. This additional LTC cover is an LTC annuity where the risk is taken by the insurance company. Ignoring administration and risk charges, the fair single premium  $c_i(0)$  of the life-care annuity is given by:

$$c_{j}(0) = \sum_{t=1}^{\omega - x_{j}} \left( {}_{t} p_{x_{j}}^{ai} e^{-\int_{0}^{t} \delta_{s} \mathrm{d}s} \alpha_{j} \cdot b_{j}(t) + {}_{t} p_{x_{j}}^{aa} e^{-\int_{0}^{t} \delta_{s} \mathrm{d}s} b_{j}(t) \right).$$
(19)

3.C. Life-care tontine. Based on the tontine scheme introduced in Section 2, we presents a life-care tontine that on average provides the same payout as the life-care annuity from the previous Section 3.B. In a life-care tontine, payments are adapted according to the autonomy/dependence of an individual. We define by  $c_j^{(a)}(t)$  and  $c_j^{(i)}(t;z)$  the current account values of an active and dependent individual, respectively. Assuming that, at time 0, every individual is autonomous, we set  $c_j^{(a)}(0) = c_j(0)$ . The main idea is that individuals moving into the dependent state have a higher death probability than people staying in active state. If mortality credits in a tontine scheme account for this increase, the payments in dependency naturally increase. To define payments in a life-care tontine for an individual  $j \in \mathcal{L}_{t-1}$ , we modify the fairness condition (6) to distinguish between active  $(j \in \mathcal{A}_{t-1})$  and dependent individuals  $(j \in \mathcal{I}_{t-1;z})$ , with z the time spent in dependency (in years):

$$\mathbb{E}_{t-1}\left[\beta_j(X(t)) \mid j \in \mathcal{A}_{t-1}\right] = q_{x_j+t-1}^{(a)} \cdot e^{\int_{t-1}^t \delta_s \mathrm{d}s} c_j^{(a)}(t-1) , \qquad (20)$$

$$\mathbb{E}_{t-1}\left[\beta_j(X(t)) \mid j \in \mathcal{I}_{t-1;z}\right] = q_{x_j+t-1;z}^{(i)} \cdot e^{\int_{t-1}^t \delta_s \mathrm{d}s} c_j^{(i)}(t-1;z), \qquad (21)$$

where, from now on,  $\mathbb{E}_t := \mathbb{E}[\cdot | \mathcal{F}_t]$  is an expectation conditional on the information  $\mathcal{F}_t := \sigma(\mathcal{A}_t, \mathcal{I}_{t;0}, \mathcal{I}_{t;1}, \dots, \mathcal{I}_{t;t-1})$ . With this design, we apply Definition 2.1 to the 3-state framework. The increased death probability in dependency  $(q_{x_j+t-1;z}^{(i)} > q_{x_j+t-1}^{(a)})$  increases the share of mortality credits and thus the overall payoff as soon as an individual moves from the active to the dependent state.

Again, the cash-flows satisfy the premium equivalence (1). In a tontine, the payoff to the pool (left hand side of (1)) is fixed, leaving the insurance provider with no mortality nor morbidity risk. The payoffs to the pool members  $W_j(t)$  are random and depend on the mortality and morbidity in the pool. 3.C.1. Adjusting mortality credits to dependency. Mortality credits are now distributed according to the individual's state (active, dependent, dead) using the fairness condition (20) and (21). We aim for an average payoff  $\alpha_j(T^{(a)}) \cdot b_j(t)$  in dependency, where  $\alpha_j(T^{(a)})$  is a constant that depends on the time spent in the active state. In our notation, this means that:

$$\mathbb{E}[W_j(t) \mid j \in \mathcal{A}_t] = b_j(t) , \qquad (22)$$

$$\mathbb{E}[W_j(t) \mid j \in \mathcal{I}_{t;t-T^{(a)}}] = \alpha_j(T^{(a)}) \cdot b_j(t), \quad t \ge T^{(a)}.$$
(23)

To achieve the desired average payoff (22) and (23) in the active and dependent state, respectively, we – as in Section 2 – decompose the payoff in a fixed and a variable part. The fixed part of individual j in the active and dependent state is denoted by  $s_j^{(a)}(t)$  and  $s_j^{(i)}(t;z)$ , respectively. The pool observes time-t withdrawals  $W_j(t)$ . For an individual  $j \in \mathcal{L}_{t-1}$ :

$$W_{j}(t) = \begin{cases} s_{j}^{(a)}(t) + \beta_{j}(X(t)), & \text{if } j \in \mathcal{A}_{t} \\ s_{j}^{(i)}(t; z) + \beta_{j}(X(t)), & \text{if } j \in \mathcal{I}_{t;z} \\ \beta_{j}(X(t)), & \text{if } j \in \mathcal{D}_{t} \end{cases}$$
(24)

Starting with an initial account value of  $c_j^{(a)}(0) = c_j(0)$ , the account for an active individual  $j \in \mathcal{A}_{t-1}$   $(t \leq T^{(a)}, z \geq 1)$  evolves as in the 2-state framework, see (3):

$$c_{j}^{(a)}(t) = \begin{cases} e^{\int_{t-1}^{t} \delta_{s} \mathrm{d}s} c_{j}^{(a)}(t-1) - s_{j}^{(a)}(t), & j \in \mathcal{A}_{t} \text{ and } t < T^{(a)} \\ e^{\int_{t-1}^{t} \delta_{s} \mathrm{d}s} c_{j}^{(a)}(t-1) - s_{j}^{(i)}(t;0), & j \in \mathcal{I}_{t;0} \text{ and } t = T^{(a)} \\ 0, & \text{otherwise} \end{cases}$$
(25)

The state-dependent constant  $\alpha_j(T^{(a)})$  is chosen in a way that the product is actuarially fair, that is, at the time  $T^{(a)}$  that an individual moves into dependency, the account value does not change:

$$c_{j}^{(i)}(T^{(a)}; 0) + (\alpha_{j}(T^{(a)}) - 1)b_{j}(T^{(a)})$$
  
=  $\mathbb{E}_{T^{(a)}} \left[ \sum_{k=T^{(a)}+1}^{\omega-x_{j}} e^{-\int_{T^{(a)}}^{k} \delta_{s} \mathrm{d}s} W_{j}(k) \middle| j \in \mathcal{I}_{T^{(a)};0} \right] + (\alpha_{j}(T^{(a)}) - 1)b_{j}(T^{(a)})$ 



FIGURE 3. Evolution of fixed withdrawal  $s_j^{(a)}(t)$  and  $s_j^{(i)}(t; t - T^{(a)})$  and total payoff  $W_j(t)$  (one simulation path),  $x_j = 65, T^{(a)} = \omega - x_j$  (left) and  $T^{(a)} = 15$  (right).

$$= \mathbb{E}_{T^{(a)}} \left[ \sum_{k=T^{(a)}+1}^{\omega-x_j} e^{-\int_{T^{(a)}}^k \delta_s \mathrm{d}s} W_j(k) \, \middle| \, j \in \mathcal{A}_{T^{(a)}} \right] = c_j^{(a)} \big( T^{(a)} \big) \,. \tag{26}$$

We choose the constants  $\alpha_j(T^{(a)})$  such that (26) is satisfied. In dependency  $(t > T^{(a)}, j \in \mathcal{I}_{t-1})$ , the account value evolves as follows:

$$c_{j}^{(i)}(t;z) = \begin{cases} e^{\int_{t-1}^{t} \delta_{s} \mathrm{d}s} c_{j}^{(i)}(t-1;z-1) - s_{j}^{(i)}(t;z), & j \in \mathcal{I}_{t} \\ 0, & \text{otherwise} \end{cases}$$
(27)

The way to determine the payoff decomposition is presented in Theorem 3.1. Figure 3 gives a sample path for an active male person with an average payoff of  $b_j(t) = 1$  (left) and an individual that moves into dependency at time  $T^{(a)} = 15$  (right). The first years after moving into dependency are typically accompanied by a strong increase in mortality. In this case, the fixed part of the payoff even turns negative.

**Theorem 3.1** (Choice of  $\alpha_j(T^{(a)})$ ,  $s_j^{(a)}(t)$ ,  $s_j^{(i)}(t; t - T^{(a)})$ ). Consider an annual time grid  $t \in \mathbb{N}$ . An active individual  $(j \in \mathcal{A}_t)$  receives the fixed

Consider an annual time grid  $t \in \mathbb{N}$ . An active individual  $(j \in \mathcal{A}_t)$  receives the fixed payoff  $s_j^{(a)}(t)$  determined via the backwards iteration:

$$s_{j}^{(a)}(t) = \begin{cases} \frac{b_{j}(t)}{1+q_{\omega-1}^{(a)}}, & \text{for } t = \omega - x_{j} \\ \frac{b_{j}(t) - q_{x_{j}+t-1}^{(a)} \sum_{u=t+1}^{\omega - x_{j}} e^{-\int_{t}^{u} \delta_{s} ds} s_{j}^{(a)}(u)}{1+q_{x_{j}+t-1}^{(a)}}, & \text{for } 1 \le t < \omega - x_{j} \end{cases}$$
(28)

A dependent individual that spent  $t - T^{(a)}$  years in dependency  $(j \in \mathcal{I}_{t;t-T^{(a)}})$ , receives for time  $t \geq T^{(a)}$  the fixed payoff

$$s_j^{(i)}(t;t-T^{(a)}) = \alpha_j(T^{(a)}) \cdot \tilde{s}_j^{(i)}(t;t-T^{(a)}), \qquad (29)$$

where  $\tilde{s}_{j}^{(i)}(t; t - T^{(a)})$  is, for  $t \geq T^{(a)}$ , determined via the backwards iteration:

$$\widetilde{s}_{j}^{(i)}(t;t-T^{(a)}) = \begin{cases} \frac{b_{j}(t)}{1+q_{\omega-1;t-T^{(a)}-1}^{(i)}}, & \text{for } t = \omega - x_{j} \\ \frac{b_{j}(t)-q_{x_{j}+t-1;t-T^{(a)}-1}^{(i)}\sum_{u=t+1}^{\omega-x_{j}} e^{-\int_{t}^{u} \delta_{s} ds} \widetilde{s}_{j}^{(i)}(u;u-T^{(a)})}{1+q_{x_{j}+t-1;t-T^{(a)}-1}^{(i)}}, & \text{for } T^{(a)} \leq t < \omega - x_{j} \end{cases}$$

$$(30)$$

The factor  $\alpha_i(T^{(a)})$  that increases payments in dependency is determined via:

$$\alpha_j(T^{(a)}) = \frac{\sum_{u=t+1}^{\omega-x_j} e^{-\int_t^u \delta_s \mathrm{d}s} s_j^{(a)}(u) + b_j(t)}{\sum_{u=t+1}^{\omega-x_j} e^{-\int_t^u \delta_s \mathrm{d}s} \widetilde{s}_j^{(i)}(u; u - T^{(a)}) + b_j(t)}.$$
(31)

**Proof:** The payoff  $\tilde{s}_j^{(i)}(t; t - T^{(a)})$  for a dependent individual  $j \in \mathcal{I}_t$  receiving an average payoff  $b_j(t)$  at times  $t \geq T^{(a)}$  is obtained using the 2-state semi-Markov backwards iteration system (28), see also the similar iteration in Section 2, Equation (12).

As we do not allow for additional payments in dependency, we want to choose  $\alpha_j(T^{(a)})$ in (29) such that the present value of future payoffs does not change if a person moves to dependency, i.e. (26) is satisfied. This implies, for an active individual  $j \in A_{t-1}$ :

$$c_{j}^{(a)}(t) = \begin{cases} e^{\int_{t-1}^{t} \delta_{s} ds} c_{j}^{(a)}(t-1) - s_{j}^{(a)}(t), & \text{if } j \in \mathcal{A}_{t} \\ c_{j}^{(i)}(t;0), & \text{if } j \in \mathcal{I}_{t} \\ 0, & \text{if } j \in \mathcal{D}_{t} \end{cases}$$
$$= \begin{cases} e^{\int_{t-1}^{t} \delta_{s} ds} c_{j}^{(a)}(t-1) - s_{j}^{(a)}(t), & \text{if } j \in \mathcal{L}_{t} \\ 0, & \text{if } j \in \mathcal{D}_{t} \end{cases}$$

As in Section 2 Equation (12), we can solve this system to obtain:

$$c_j^{(a)}(t) = \sum_{u=t+1}^T e^{\int_t^u \delta_s ds} s_j^{(a)}(u) \,.$$
(32)

The backward iteration (28) determines the fixed part of the payoff  $s_j^{(a)}(t)$  for an active individual, see also the 2-state framework in Section 2, Equation (12). Let us name  $\tilde{c}_j^{(i)}(t; t - T^{(a)})$  the reference amount, based on a predetermined  $\alpha_j(T^{(a)})$ value of 1 and the corresponding fixed payments  $\tilde{s}_j^{(i)}(t; t - T^{(a)})$ . We have

$$s_j^{(i)}(t;t-T^{(a)}) = \alpha_j(T^{(a)}) \cdot \tilde{s}_j^{(i)}(t;t-T^{(a)}).$$

It is deduced that

$$c_j^{(i)}(t;t-T^{(a)}) = \alpha_j(T^{(a)}) \cdot \tilde{c}_j^{(i)}(t;t-T^{(a)}).$$

We solve for  $\alpha$  in (26). If we use (26), that is if we assume that the present value of future payoffs is unchanged if a person moves into dependency, we obtain

$$\alpha_j(T^{(a)}) = \frac{c^{(a)}(T^{(a)}) + b_j(t)}{\widetilde{c}^{(i)}(T^{(a)}; 0) + b_j(t)} = \frac{\sum_{u=t+1}^{\omega - x_j} e^{-\int_t^u \delta_s \mathrm{d}s} s_j^{(a)}(u) + b_j(t)}{\sum_{u=t+1}^{\omega - x_j} e^{-\int_t^u \delta_s \mathrm{d}s} \widetilde{s}_j^{(i)}(u; u - T^{(a)}) + b_j(t)}$$



FIGURE 4. Adjustment constant  $\alpha_j(T^{(a)})$  as a function of the time in the active state  $T^{(a)}$  (if  $T^{(i)} > 0$ ).

Figure 4 presents the function  $\alpha_j(T^{(a)})$  in our data set. The data correspond to values in line with observations made on the French LTC market. If  $\alpha_j(T^{(a)}) = 1$ , this would mean that an individual in dependency would receive, on average, the same payoff as if he/she were active.

We observe that  $\alpha_j(T^{(a)})$  takes values between 2 and 4 which implies a considerable increase of benefits in dependency, that is a dependent individual may receive a 2-4 times higher payoff than an active individual. The increase strongly depends on the time  $T^{(a)}$ the person moves into dependency. If we want to fix the increase in dependency, say to  $\alpha_j(T^{(a)}) = \alpha_j$  as in the case of the life-care annuity in Section 3.B, we need to share the corresponding loss / gain that appears if somebody moves into dependency, see the following section.

3.C.2. A priori fixation of  $\alpha_j(T^{(a)})$ . As a next step, we want to fix the payoff in dependency with a predetermined increase in the dependent state to  $\alpha_j$ . In other words, we want to smooth  $\alpha_j(T^{(a)})$  from the previous section (see Figure 4). Formally, denote as

$$Y_{j}(t) := \mathbb{1}_{j \in \mathcal{I}_{t;0}} \left( \left( c_{j}^{(a)}(t) - c_{j}^{(i)}(t;0) \right) + \left( 1 - \alpha_{j} \right) b_{j}(t) \right)$$

the morbidity credits for individual j. Morbidity credits are needed to adjust the benefits of individuals that have moved to the dependent state in (t - 1, t] and are still alive at time t (that is an individual  $j \in \mathcal{I}_{t;0}$ ). They contain two parts:  $(1 - \alpha_j)b_j(t)$  increases the payoff at the first payoff date after moving into dependency while  $(c_j^{(a)}(t) - c_j^{(i)}(t; 0))$ adjusts the later payoffs. The morbidity credits are redistributed among the pool of individuals. Note that they can be positive or negative, depending on whether the  $\alpha_j(T^{(a)})$ -value is higher or lower than the "fair" increase determined in the previous section (see the values presented in Figure 4). At each time t = 1, 2, ..., T, we have to distribute

$$Y(t) := \sum_{j \in \mathcal{A}_{t-1}} Y_j(t)$$

according to some predefined rule. We, similarly to the concept of mortality credits in the previous section, introduce a function  $\gamma_j(Y(t))$  that redistributes the morbidity credits Y(t) within the pool, see Definition 3.2.

**Definition 3.2** (Fair distribution rule: morbidity credits). If the share distributed to individual  $j \in \mathcal{L}_{t-1}$  is denoted by  $\gamma_j(Y(t))$ , a fair distribution rule has to satisfy the following properties:

- Self-sufficiency property:  $\sum_{j \in \mathcal{L}_{t-1}} \gamma_j (Y(t)) = Y(t).$
- Fairness property:

$$\mathbb{E}_{t-1}[\gamma_j(Y(t))] = \underbrace{\mathbb{E}_{t-1}[\mathbb{1}_{j\in\mathcal{I}_{t;0}}]}_{\text{probability to get dependent in } (t-1,t]} \cdot \underbrace{\left(c_j^{(a)}(t) - c_j^{(i)}(t) + (1-\alpha_j)b_j(t)\right)}_{\text{required capital at time } t}.$$
(33)

Again, we can, for example, choose a conditional mean risk-sharing, linear sharing or linear regression rule as a distribution rule  $\gamma_j(\cdot)$ . For an active individual, we can rewrite (33) to obtain

$$\mathbb{E}_{t-1}\left[\gamma_j(Y(t)) \mid j \in \mathcal{A}_{t-1}\right] = p_{x_j+t-1}^{ai} \cdot \left(c_j^{(a)}(t) - c_j^{(i)}(t) + s_j^{(a)}(t) - s_j^{(i)}(t)\right).$$
(34)

If the individual is dependent or dead already at time t-1, we obtain  $\mathbb{E}_{t-1}[\gamma_j(Y(t)) | j \in \mathcal{I}_{t-1}] = \mathbb{E}_{t-1}[\gamma_j(Y(t)) | j \in \mathcal{D}_{t-1}] = 0$ , that is in a fair distribution scheme dead or



FIGURE 5. Evolution of fixed withdrawal  $s_j^{(a)}(t)$  and  $s_j^{(i)}(t; t - T^{(a)})$  and total payoff  $W_j(t)$  (one simulation path),  $x_j = 65, T^{(a)} = \omega - x_j$  (left) and  $T^{(a)} = 15$  (right).

dependent people do (on average) not receive any morbidity credits. In our tontine scheme, we thus redistribute the credits among active individuals  $j \in \mathcal{A}_{t-1}$  only. In a later extension, it might make sense to share the risk  $Y(t) - \mathbb{E}_{t-1}[Y(t)]$  among all survivors  $j \in \mathcal{L}_{t-1}$ . The pool observes time-t withdrawals  $W_j(t)$ , decomposed into a fixed withdrawal, mortality and morbidity credits. For an active individual  $j \in \mathcal{A}_{t-1}$ :

$$W_{j}(t) = \begin{cases} s_{j}^{(a)}(t) + \beta_{j}(X(t)) + \gamma_{j}(Y(t)), & \text{if } j \in \mathcal{A}_{t} \\ s_{j}^{(i)}(t;0) + \beta_{j}(X(t)) + \gamma_{j}(Y(t)), & \text{if } j \in \mathcal{I}_{t;0} \\ \beta_{j}(X(t)) + \gamma_{j}(Y(t)), & \text{if } j \in \mathcal{D}_{t} \end{cases}$$
(35)

For a dependent individual  $j \in \mathcal{I}_{t-1}$  that moved into dependency at time  $T^{(a)} < t$ :

$$W_{j}(t) = \begin{cases} s_{j}^{(i)}(t; t - T^{(a)}) + \beta_{j}(X(t)), & \text{if } j \in \mathcal{I}_{t} \\ \beta_{j}(X(t)), & \text{if } j \in \mathcal{D}_{t} \end{cases}$$
(36)

Figure 5 illustrates one simulation run in the 3-state framework, comparing an active person (left) to an individual moving into dependency at time  $T^{(a)} = 15$ .

The product is shown to be actuarially fair in Theorem 3.3.

Theorem 3.3 (Actuarial fairness 3-state framework).

The fairness conditions (20), (21) and (33) imply that the current account value is actuarially fair for a dependent individual if, at each time  $t = T^{(a)}, \ldots, \omega - x_j$ :

$$c_{j}^{(i)}(t;t-T^{(a)}) = \mathbb{E}_{t}\left[\sum_{k=t+1}^{\omega-x_{j}} e^{-\int_{t}^{k} \delta_{s} \mathrm{d}s} W_{j}(k) \middle| j \in \mathcal{I}_{t;t-T^{(a)}}\right].$$
 (37)

Similarly, it is actuarially fair for an active individual as, at each time  $t = 0, 1, ..., \omega - x_j$ :

$$c_j^{(a)}(t) = \mathbb{E}_t \left[ \sum_{k=t+1}^{\omega - x_j} e^{-\int_t^k \delta_s \mathrm{d}s} W_j(k) \, \middle| \, j \in \mathcal{A}_t \right].$$
(38)

**Proof:** At time  $\omega - x_j$ , we have  $q_{\omega;z}^{(i)} = 1$  and the cash flows only consist of mortality credits. Fairness condition (21) is supposed to hold implying  $c_j^{(i)}(\omega - x_j; z) = 0, \forall z$ . Assume that (37) holds for time t. For a dependent person  $j \in \mathcal{I}_{t-1}$ , with time spent in dependency  $z = t - T^{(a)}$ , we have:

$$\mathbb{E}_{t-1}\left[\sum_{k=t}^{\omega-x_j} e^{-\int_{t-1}^k \delta_s \mathrm{d}s} W_j(k) \middle| j \in \mathcal{I}_{t-1;z-1}\right]$$
$$= e^{-\int_{t-1}^t \delta_s \mathrm{d}s} \left(\mathbb{E}_{t-1}\left[W_j(t) + \mathbb{1}_{j \in \mathcal{I}_t} \cdot c_j^{(i)}(t;z) \middle| j \in \mathcal{I}_{t-1;z-1}\right]\right)$$

$$= e^{-\int_{t-1}^{t} \delta_{s} \mathrm{d}s} \left( \mathbb{E}_{t-1} \left[ \mathbbm{1}_{j \in \mathcal{I}_{t}} \cdot s_{j}^{(i)}(t;z) + \beta_{j} (X(t)) \middle| j \in \mathcal{I}_{t-1;z-1} \right] + p_{x_{j}+t-1;z}^{ii} \cdot c_{j}^{(i)}(t;z) \right)$$

$$= e^{-\int_{t-1}^{t} \delta_{s} \mathrm{d}s} \left( p_{x_{j}+t-1;z}^{ii} \cdot s_{j}^{(i)}(t;z) + \mathbb{E}_{t-1} \left[ \beta_{j} (X(t)) \right] + p_{x_{j}+t-1;z}^{ii} \cdot c_{j}^{(i)}(t;z) \right)$$

$$= e^{-\int_{t-1}^{t} \delta_{s} \mathrm{d}s} \left( p_{x_{j}+t-1;z}^{ii} \cdot s_{j}^{(i)}(t;z) + q_{x_{j}+t-1}^{(i)} \cdot e^{\int_{t-1}^{t} \delta_{s} \mathrm{d}s} c_{j}^{(i)}(t-1;z-1) + p_{x_{j}+t-1;z}^{ii} \cdot c_{j}^{(i)}(t;z) \right)$$

$$= c_{j}^{(i)}(t-1;z-1) .$$

This proves (37) for t-1. For an active person  $j \in \mathcal{A}_{t-1}$ , we also have that  $c_j^{(a)}(\omega - x_j) = 0$ . Using (20) and (21), backward iteration enables to obtain:

$$\begin{split} \mathbb{E}_{t-1} \left[ \sum_{k=t}^{\omega-x_j} e^{-\int_{t-1}^k \delta_s \mathrm{d}s} W_j(k) \, \middle| \, j \in \mathcal{A}_{t-1} \right] \\ &= e^{-\int_{t-1}^t \delta_s \mathrm{d}s} \mathbb{E}_{t-1} \big[ W_j(t) + \mathbbm{1}_{j \in \mathcal{A}_t} \cdot c_j^{(a)}(t) + \mathbbm{1}_{j \in \mathcal{I}_t} \cdot c_j^{(i)}(t;0) \, \middle| \, j \in \mathcal{A}_{t-1} \big] \\ &= e^{-\int_{t-1}^t \delta_s \mathrm{d}s} \Big( \mathbb{E}_{t-1} \big[ \mathbbm{1}_{j \in \mathcal{A}_t} \cdot s_{(j)}^{(a)}(t) + \mathbbm{1}_{j \in \mathcal{I}_t} \cdot s_j^{(i)}(t;z) + \beta_j \big( X(t) \big) + \gamma_j \big( Y(t) \big) \, \middle| \, j \in \mathcal{A}_{t-1} \big] \\ &+ p_{x_j+t-1}^{ai} \cdot c_j^{(i)}(t;0) + p_{x_j+t-1}^{aa} \cdot c_j^{(a)}(t) \Big) \\ &= e^{-\int_{t-1}^t \delta_s \mathrm{d}s} \Big( p_{x_j+t-1}^{aa} \cdot s_j^{(a)}(t) + p_{x_j+t-1}^{ai} \cdot s_j^{(i)}(t;0) + \mathbb{E}_{t-1} \big[ \beta_j \big( X(t) \big) \big] \\ &+ \mathbb{E}_{t-1} \big[ \gamma_j \big( Y(t) \big) \big] + p_{x_j+t-1}^{ai} \cdot c_j^{(i)}(t;0) + p_{x_j+t-1}^{aa} \cdot c_j^{(a)}(t) \Big) \\ &= e^{-\int_{t-1}^t \delta_s \mathrm{d}s} \Big( p_{x_j+t-1}^{aa} \cdot s_j^{(a)}(t) + p_{x_j+t-1}^{ai} \cdot s_j^{(i)}(t;0) + q_{x_j+t-1}^{(a)} c_j^{(a)}(t-1) e^{-\int_{t-1}^t \delta_s \mathrm{d}s} \\ &+ p_{x_j+t-1}^{ai} \Big( \big( c_j^{(a)}(t) - c_j^{(i)}(t;0) \big) + \big( s_j^{(a)}(t) - s_j^{(i)}(t;0) \big) \Big) \\ &+ p_{x_j+t-1}^{ai} \cdot c_j^{(i)}(t;0) + p_{x_j+t-1}^{aa} \cdot c_j^{(a)}(t) \Big) = c_j^{(a)}(t-1) \,. \end{split}$$

Note that at time  $t = T^{(a)}$ , we have that  $s_j^{(a)}(t) - s_j^{(i)}(t;0) = (1 - \alpha_j)b_j(t)$ . As in the 2state framework, the payoff is split into a fixed part, mortality and morbidity credits in a way that we obtain a desired average payoff. For an active individual, this average payoff is  $b_j(t)$ , while for a dependent individual it is increased to  $\alpha_j \cdot b_j(t)$ , where  $\alpha_j > 1$  is a predetermined constant. In the 3-state framework, we need to separately look at active and dependent individuals, as they have different time patterns of average mortality and morbidity credits. Mortality credits are shared within the whole group. However, dependent individuals receive a larger share of these credits due to their higher mortality risk. Theorem 3.4 shows how to determine the fixed part of the payoff and the account values for active and dependent individuals, respectively.

**Theorem 3.4** (Choice of  $s_j^{(a)}(t)$ ,  $s_j^{(i)}(t; t - T^{(a)})$ ).

Consider an annual time grid  $t \in \mathbb{N}$ . For a dependent individual  $(j \in \mathcal{I}_t)$ , we follow Theorem 3.1 and use (30) to obtain for each  $T^{(a)} = 1, 2, \ldots, \omega - x_j - 1$ :

$$s_j^{(i)}(t;t-T^{(a)}) = \alpha_j \cdot \tilde{s}_j^{(i)}(t;t-T^{(a)}), \text{ for } t = T^{(a)} + 1, T^{(a)} + 2, \dots$$
(39)

and the corresponding account value at time  $t \ge T^{(a)}$ :

$$c_{j}^{(i)}(t;t-T^{(a)}) = \sum_{u=t+1}^{\omega-x_{j}} e^{-\int_{t}^{u} \delta_{s} \mathrm{d}s} s_{j}^{(i)}(u;u-T^{(a)}).$$
(40)

An active individual  $(j \in A_t)$  receives the fixed payoff  $s_j^{(a)}(t)$  determined via the backwards iteration:

$$s_{j}^{(a)}(\omega - x_{j}) = \frac{b_{j}(\omega - x_{j})}{1 + q_{\omega-1}^{(a)}},$$

$$s_{j}^{(a)}(t) = \frac{1}{1 + q_{x_{j}+t-1}^{(a)}} \left( b_{j}(t) \cdot p_{x_{j}+t-1}^{ai} \left( 1 - \alpha_{j} \right) - q_{x_{j}+t-1}^{(a)} \sum_{u=t+1}^{\omega - x_{j}} e^{-\int_{t}^{u} \delta_{s} ds} s_{j}^{(a)}(u) + b_{j}(t) \cdot \alpha_{j} + p_{x_{j}+t-1}^{ai} \sum_{u=t+1}^{\omega - x_{j}} e^{-\int_{t}^{u} \delta_{s} ds} \left( s_{j}^{(a)}(u) + s_{j}^{(i)}(u;u-t) \right) \right), \quad (41)$$

$$for \ t = \omega - x_{j} - 1, \ \omega - x_{j} - 2, \dots, 1.$$

At time  $T^{(a)}$ , we have that:

$$s_j^{(i)}(T^{(a)};0) = s_j^{(a)}(T^{(a)}) + (\alpha_j - 1)b_j(T^{(a)}).$$
(42)

**Proof:** For an active person, we can compute the expected value of (35) to obtain:

$$\mathbb{E}[W_j(t) \mid j \in \mathcal{A}_t] = \mathbb{E}\left[s_j^{(a)}(t) + \beta_j \left(X(t)\right) + \gamma_j \left(Y(t)\right) \mid j \in \mathcal{A}_t\right]$$
$$= s_j^a(t) + \mathbb{E}[X_j(t) \mid j \in \mathcal{A}_t] + \mathbb{E}[Y_j(t) \mid j \in \mathcal{A}_t]$$

$$= s_j^a(t) + c_j^{(a)}(t-1)e^{\int_{t-1}^t \delta_s ds} q_{x_j+t-1}^{(a)} + p_{x_j+t-1}^{ai} \left( \left( c_j^{(a)}(t) - c_j^{(i)}(t;0) \right) + \left( 1 - \alpha_j \right) b_j(t) \right).$$
(43)

We use (30) to obtain  $s_j^{(i)}(t; t - T^{(a)}) = \alpha_j \cdot \tilde{s}_j^{(i)}(t; t - T^{(a)})$  for  $t = T^{(a)} + 1, T^{(a)} + 2, ...$ and for all  $T^{(a)}$ . We have

$$c_{j}^{(i)}(t;0) = \sum_{u=t+1}^{\omega-x_{j}} e^{-\int_{t}^{u} \delta_{s} \mathrm{d}s} s_{j}^{(i)}(u;u-t).$$
(44)

If survivors want on average an annual payoff of  $b_j(t)$ , we need to set

$$s_{j}^{(a)}(t) + c_{j}^{(a)}(t-1)e^{\int_{t-1}^{t}\delta_{s}\mathrm{d}s}q_{x_{j}+t-1}^{(a)} + p_{x_{j}+t-1}^{ai}\left(\left(c_{j}^{(a)}(t) - c_{j}^{(i)}(t;0)\right) + \left(1 - \alpha_{j}\right)b_{j}(t)\right) = b_{j}(t).$$

We can iteratively solve this set of equations backwards in time to obtain (41). Equation (42) takes into account the immediate increase of benefits at the first payment date after moving into dependency.  $\Box$ 

As in the 2-state case, the computation of the fixed payoff  $s_j^{(a)}(t)$ ,  $s_j^{(i)}(t; t - T^{(a)})$  in Theorem 3.4 can be carried out for each individual separately.

#### 4. Outlook, further research and practical implications

The paper relies on the sharing of mortality and morbidity risk. Several simplifying assumptions were used and they might be relaxed in future research. This short section highlights several interesting research questions, some practical implications and possible extensions.

First, in the numerical examples, we assume that each individual's mortality and morbidity risk is independent of the other pool members' risk. This is only true if there are no systematic risks affecting every pool member simultaneously, like a pandemic, improved medication or a general increase in life expectancy. The existence of systematic morbidity risk is still controversially discussed (for example, Fries (1980) detects a rectangulariation of morbidity while Fuino & Wagner (2020) find that "the duration of LTC has not significantly changed in the period from 1995 to 2009"). It would be interesting to develop and calibrate a mortality and morbidity risk model that accounts for systematic risk factors (for systematic mortality risk models applied to tontines and pooled annuities, see, for example, Qiao & Sherris (2013), Chen, Hieber & Rach (2020)). The assumption of independent remaining lifetimes, however, can easily be relaxed as the separation in fixed payoff, mortality and morbidity risk can be carried out separately for each individual. In this derivation, there is no constraint on the dependence structure between individual lifetimes.

In our framework each individual receives the same investment return (see also Donnelly, Guillén & Nielsen (2014) for a stochastic version of this setting). In participating life insurance, however, this is not always the case as contracts with different guaranteed rates are pooled (see, for example, Hansen & Miltersen (2002), Hieber et al. (2019)). It might be interesting to discuss an actuarially fair risk sharing scheme where both mortality and financial risk are heterogeneous between individual contracts.

Last, the tontine design can certainly be improved by a surplus fund, implemented to smooth the payoffs over time.

The low interest rate environment, the demography and the introduction of Solvency II has further strenghtened the trend to shift more and more risks from the insurance provider to the costumer. This not only affects the private insurance market but also occupational and state pensions, moving from a defined benefit-type guarantee to collective defined contribution. To ensure that the unsystematic mortality and morbidity risk remains insured, it is necessary to develop mutual insurance schemes like the life-care tontine introduced in this article. The presented idea of a mutual risk sharing scheme of mortality and morbidity risk can also help to design occupational pension systems where the insurance provider is either unable or not willing to take the pension's long-term risks. Adjusting the benefits of pensions by risk factors like autonomy / dependence can further enhance the fairness of the pension system (see also Holzmann et al. (2019) for a discussion of other risk factors).

# 5. Conclusion

We designed a novel mutual insurance scheme called life-care tontine and discuss its potential use in a long term-care cover perspective. The product relies on the natural hedge inherent between mortality and morbidity risks. When moving into dependency, individuals may need a higher payoff for a shorter remaining lifetime, allowing to easily pool these risks with healthy individuals. As in the case of a life-care annuity, the pooling of mortality and morbidity risks reduces adverse selection costs and provides more people access to long-term care insurance. The advantage of a tontine scheme is an additional reduction in adverse selection costs driven by the uncertainty of future tontine cash-flows (see, e.g., Valdez et al. (2006)). Further, the insurance provider is merely administrative, leading to a significant reduction in risk and administration charges (see, e.g., Chen, Hieber & Klein (2019)). The drawback naturally is that the systematic risk lies with the policyholders. A major innovation is the development of a creative product design: cashflows can be smoothed to fit the current and future needs of the market. The product is actuarially fair at each point in time, allowing people to later join the tontine scheme. The individual flexibility of our payoff design answers the individual practical needs of the insureds. Technically, we rely on a backward iteration used to deduce the smoothed cashflows patterns and the separation of cash-flows in a fixed withdrawal, mortality and morbidity credits. The flexibility and fairness of the system results from the fact that this iteration can be carried out individually for each pool member. The pooling scheme shares the mortality and morbidity risks within the pool. The average future payoffs and shares in mortality and morbidity credits are, however, based on each individual's risk, for example the age and health status. The 2-state and 3-state models are applied to real life data, providing coherent simulations and illustrating the adequacy of our product framework.

**Funding:** Peter Hieber was supported by the PRIME programme of the German Academic Exchange Service (DAAD) with funds from the German Federal Ministry of Education and Research (BMBF).

#### References

Bernhardt, T., & Donnelly, C. (2019). Modern tontine with bequest: innovation in pooled annuity products. Insurance: Mathematics and Economics, 86, 168-188.

- Brown, J., & Warshawsky, M. (2013). The Life Care Annuity: A New Empirical Examination of an Insurance Innovation that Addresses Problems in the Markets for Life Annuities and Long-Term Care Insurance. The Journal of Risk and Insurance, 80(3):677-704.
- Chen, A., Hieber, P., & Klein, J. K. (2019). Tonuity: A novel individual-oriented retirement plan. ASTIN Bulletin, 49(1), 5-30.
- Chen, A., Hieber, P. & Rach, M. (2020). Optimal retirement products under subjective mortality beliefs. Insurance: Mathematics and Economics.
- Chen, A., Hieber, P. & Nguyen, T. (2019). Constrained non-concave utility maximization: An application to life insurance contracts with guarantees. European Journal of Operational Research 273(3), 1119-1135.
- Chen, A., Rach, M. & Sehner, T. (2020). On the optimal combination of Annuities and Tontines. ASTIN Bulletin 50(1) (2020), 95-129.
- Chen, A., Fuino, F., Sehner, T. & Wagner, J. (2020) Valuation of Long-Term Care Options Embedded in Life Annuities. working paper.
- Denuit, M., & Dhaene, J. (2012). Convex order and comonotonic conditional mean risksharing. Insurance: Mathematics and Economics, 51, 265-270.
- Denuit, M., Lucas, N. & Pitacco, E.(2019) Pricing and Reserving in LTC Insurance Actuarial Aspects of Long Term Care. Springer, Cham, 129-158.
- Denuit, M. (2019). Size-biased transform and conditional mean risk sharing, with application to P2P insurance and tontines. ASTIN Bulletin, 49(3), 591-617.
- Denuit, M., & Robert, C. Y. (2020). From risk sharing to pure premium for a large number of heterogeneous losses (No. 2020015). UC Louvain, Institute of Statistics, Biostatistics and Actuarial Sciences (ISBA).
- Donnelly, C., Guillén, M., & Nielsen, J. P. (2013). Exchanging uncertain mortality for a cost. Insurance: Mathematics and Economics, 52(1), 65-76.
- Donnelly, C., Guillén, M., & Nielsen, J. P. (2014). Bringing cost transparency to the life annuity market. Insurance: Mathematics and Economics, 56, 14-27.
- Forman, J.B. & Sabin, M.J. (2015). Tontine pensions. University Pennsylvania. Law Review. 163, 755-831.
- Forman, J.B. & Sabin, M.J. (2016) Survivor funds. Pace Law Review. 37, 204-291.

- Fullmer, R.K. & Sabin, M.J. (2018) Individual tontine accounts. Available at SSRN 3217551.
- Fnnzs, J. F. (1980). Aging, natural death, and the compression of morbidity. The New England Journal of Medicine, 303(3), 245-250.
- Fuino, M., & Wagner, J. (2020) Duration of long-term care: socio-economic factors, type of care interactions and evolution. Insurance: Mathematics and Economics 90, 151-168.
- Friedman, B. M., & Warshawsky, M. J. (1990). The cost of annuities: Implications for saving behavior and bequests. The Quarterly Journal of Economics, 105(1), 135-154.
- Hansen, M., & Miltersen, K. R. (2002) Minimum rate of return guarantees: the Danish case. Scandinavian Actuarial Journal 2002(4), 280-318.
- Hieber, P., Natolski, J. & Werner, R. (2019). Fair valuation of cliquet-style return guarantees in (homogeneous and) heterogeneous life insurance portfolios. Scandinavian Actuarial Journal 2019(6), 478-507.
- Holzmann, R., Alonso-Garcia, J., Labit-Hardy, H. & Villegas, A. (2019). NDC schemes and heterogeneity in longevity: Proposals for redesign. In R. Holzmann, E. Palmer, R. Palacios, and S. Sacchi (Eds.), Progress and Challenges of Nonfinancial Defined Pension Schemes - Volume 1: Addressing Marginalization, Polarization, and the Labor Market, Chapter 16. Washington, D.C.: The World Bank.
- Li, Y. & Rothschild, C. (2019) Selection and redistribution in the Irish tontines of 1773, 1775, and 1777. Journal of Risk and Insurance.
- Milevsky, M. A., & Salisbury, T. S. (2015). Optimal retirement income tontines. Insurance: Mathematics and Economics, 64, 91-105.
- Milevsky, M. A., & Salisbury, T. S. (2016). Equitable retirement income tontines: Mixing cohorts without discriminating. ASTIN Bulletin, 46(3), 571–604.
- Murtaugh, C. M., Spillman, B. C., & Warshawsky, M. J. (2001). In sickness and in health: An annuity approach to financing long-term care and retirement income. Journal of Risk and insurance, 225-253.
- OECD (2020) Long-term Care and Health Care Insurance in OECD and Other Countries Available at www.oecd.org/fin/insurance/Long-Term-Care-Health-Care-Insurance-in-OECD-and-Other-Countries.htm

- Piggott, J., Valdez, E. A., & Detzel, B. (2005). The simple analytics of a pooled annuity fund. Journal of Risk and Insurance, 72(3), 497-520.
- Qiao, C., Sherris, M. (2013) Managing systematic mortality risk with group self-pooling and annuitization schemes. Journal of Risk and Insurance 80 (4), 949-974.
- Rickayzen, B. D. (2007). An Analysis of Disability-linked Annuities, Actuarial Research Paper No. 180 Faculty of Actuarial Science and Insurance Cass Business School. City University, London.
- Sabin, M.J. (2010) Fair tontine annuity. Available at SSRN 1579932.
- Schumacher, J.M. (2018). Linear versus nonlinear allocation rules in risk sharing under financial fairness. ASTIN Bulletin 48, 995-1024.
- Shao, A. W., Sherris, M., & Fong, J. H. (2017). Product pricing and solvency capital requirements for long-term care insurance. Scandinavian Actuarial Journal, 2017(2), 175-208.
- Shi, P., & Zhang, W. (2013). Managed care and health care utilization: Specification of bivariate models using copulas. North American Actuarial Journal, 17(4), 306-324.
- Spillman, B. C., Murtaugh, C. M., & Warshawsky, M. J. (2003). Policy Implications of an Annuity Approach to Integrating Long-Term Care Financing and Retirement Income. Journal of Aging and Health, 15(1):45-73.
- Stamos, M.Z. (2008) Optimal consumption and portfolio choice for pooled annuity funds. Insurance: Mathematics and Economics 43 (1), 56-68.
- Valdez, E.A., Piggott, J. & Wang, L., 2006. Demand and adverse selection in a pooled annuity fund. Insurance: Mathematics and Economics 39 (2), 251-266.
- Weinert, J.-H., & Gründl, H. (2017) The modern tontine: An innovative instrument for longevity risk management in an aging society. Available at SSRN: https://ssrn.com/abstract=3088527.